
SECTION 3 QUICK INDEX

PLANES	age
CHISELS	17
PUNCHES	25
STEEL LETTERS	28
SCREWDRIVERS	31
PUSH DRILLS	40
MEASURING TOOLS	44
AWLS	51
CHALK	. 63
PENCILS	. 65
ADHESIVES	. 66
PLUMBS AND LEVELS	. 71
TOOL BOXES	. 77



TOOL DIVISION

SECTION 3—MECHANICS TOOLS

PLANES, SCRAPERS
DRAWKNIVES, CHISELS
PUNCHES, NAIL SETS
SCREW DRIVERS

MACHINISTS TOOLS
CALIPERS, DIVIDERS
GAUGES, RULES
TOOL CABINETS

SQUARES, AWLS




IRON BENCH PLANES

Adjustable

Refined cast iron frames with side and bottom accurately machined, ground and smoothly finished. Inside black enameled finish. Vanadium tool steel plane irons, oil tempered and ground, nickel plated plain iron cap.

Black enameled iron frog. Bright nickel clamp with large thumb lever. Nickel plated brass adjusting nut, 1½ inches diameter. Hardwood mahogany finish handle and knob, fastened with large screws. Side adjustment for exact adjusting of cutter with face of plane.


Smooth Bottom



KEEN KUTTER

Each F3928GK	X5D10★	(KKM3)	Length, inches 8 Smooth	Size Cutter, inches 13/4	Weight Box, <u>lb</u> s. 3½	Each \$7.65
F3929GK	X5D45★	(KKM4)	9 Smooth	2	4	8.25
F3930GK	X5D95★	(KKM5)	14 Jack	2	5	8.95

One in box



SHAPLEICH'S

Adjustable

Special carbon steel blade, hardened and hand-honed. Machined bottom and sides.

Each			Length, inches	Size Cutter, inches	Weight Box, lbs.	Each
F3415G	X3D15★	(V2)	8 Smooth	13/4	3	\$4.55
F3416G	X3D35★	(V3)	9 Smooth	2	33/8	5.00
F3417G	X3D85★	(V4)	14 Jack	2	41/2	5.75

One in ctn.

IRON BLOCK PLANES



Bright machined and precision ground frame and bottom, baked black enamel inside. Nickel plated cap. High grade steel cutter, locked by wheel. Cherry finish wood knob. Length 7 inches. Width of cutter 15% inches.

	(VI)	
Each		Each
F3414G	X1D26★	\$1.89

One in box. Wt. box 134 lbs.

IRON BLOCK PLANES

Bright machined and precision ground frames and bottom baked black enamel inside. Trimmings nickel plated and polished.

Cutter adjustment endwise by lever and depth by screw. Length 6 inches. Cutters 15% inches.





Adjustable Throat

Each			Each
F3933GK	(KKM91/2)	X3D00	\$4.50
C	ne in box. W	t. box 11/6 lbs.	

These planes are built to use with one or both hands for planing end work. Frames have bright machined and precision ground finish outside. Inside black enameled. Cap nickel plated. Polished cutter. Cherry finish wood knob.

Cutter adjusted endwise by screw. Cap held by screw and lever. Length 7 inches. Width 2 inches. Width cutter 15% inches.





Adjustable

Each		Each
F3938GK	(KKM220)	X2D20★ \$3.30
C	ne in box. W	t. box 11/2 lbs.

IRON BLOCK PLANES

Bright machined and precision ground frame and bottom, baked black enamel inside. Nickel plated cap. High grade steel cutter, locked by wheel. Cherry finish wood knob.

Length 7 inches. Width of cutter 15% inches.





Non-Adjustable

Each Each F3937GK (KKM110) X2D00\$3.00 One in box. Wt. box 11/2 lbs.

STANLEY



Knuckle Joint-Adjustable Throat

For coarse or fine work. With patented knuckle joint lever. Knuckle joint nickeled. Length 7 inches. 15% inch cutter.

▲ Each F3867G (65) X5D27 \$7.90 One in box. Wt. box 11/2 lbs.

IRON BLOCK PLANES

In the low-angle planes the cutter rests on its seat at an angle of only 12 degrees. This angle permits of great ease in working across the grain on hard woods.

All cutters are made of high grade steel and are adjustable endwise by means of the adjusting wheel at the rear of the plane.



Adjustable Throat

For coarse or fine work. Length 6 inches. 13/8 inch cutter. Japanned trim.

Each ▲ Each F3866G (60½) X4D16★.....\$6.25 One in box. Wt. box 11/4 lbs.



With Adjustable Throat

Length 6 inches. 15% inch cutter. Japanned trimmings.

Each		▲ Each
F3853G	(91/2)	X4D16\$6.25

Wt. box 11/2 lbs.

Without Adjustable Throat

Each ▲ Each F3852G (91/4) X3D16...... \$4.75 One in box. Wt. box 11/2 lbs.



With rosewood knob on front. In many ways better adapted for average use than any of the cheaper block planes made. It is ground on both bottom and sides. The cutter is made of high grade steel, is fastened by a lever and cam, and is adjustable endwise by a screw adjustment operated from the rear of the plane. Length 7 inches. 15/8 inch cutter.

Each ▲ Each F3893G (220) X2D65★......\$3.98 One in box. Wt. box 13/8 lbs.



Non-Adjustable

Polished hardwood knob. Both the bottoms and sides are ground. Japanned trimmings. The most popular of all non-adjustable block planes. Length 7 inches. 15% inch Cutter.

Each		▲ Each
F3883G	(110)	X2D17★\$3.26
		box. Wt. box 3/8 lb.

IRON BLOCK PLANES STANLEY



Bottom and sides milled and ground. Handy grip. Fully adjustable. High grade steel cutter. Nickel plated lever cap and trim. Knuckle joint lever cap snaps into position and holds cutter firmly at a 20° angle. Brass adjusting nut and finger rest.

Length 6 inches. Width of cutter 15% inches.

▲ Each Each (181/4) X4D16 \$6.24 F3858G One in box. Wt. box 11/4 lbs.



Non-Adjustable

Ground bottom, japanned sides. Boss on front acts as a finger rest. Length $5\frac{1}{2}$ inches, $1\frac{3}{8}$ -inch cutter.

▲ Each Each F3881G (102) X1D60 \$2.40 One in box. Wt. box. 34 lb.



Non-Adjustable

The cutters are of high grade steel, and are carefully

tempered and ground. The boss on the front acts as a finger rest. The bottom is ground and the sides japanned. Length 3½ inches, 1-inch cutter.

▲ Each F3880G (101) D8C3★.....\$1.25

Three in box. Wt box 1/4 lb.



Adjustable

For Manual Training Classes

Has few adjustments and fits the boy's hand comfortably. Made entirely of steel, it is practically unbreakable. Low angle cutter rests on its seat at an angle of 12 degrees. Screw adjustment for cutter, throat is non-adjustable. Steel finger rest knob. Polished and dull nickel finish.

Each		▲ Eac	h
F3885G	(118)	X4D40\$6.6	0
		1 117, 1 11/11	

IRON BLOCK PLANES

STANLEY-HANDYMAN



Non-Adjustable

Tempered steel cutter. Black hardwood knob. Bottom milled, sides ground, balance japanned. 7 inches long, 15%-inch cut.

Each ▲ Each F3950G (H1247) X1D47★.....\$2.20 One in box. Wt. box 11/4 lbs.



Tempered steel cutters. Bottom milled and ground, balance finished in black with black lever cap. Boss on front acts as thumb rest. Length 51/2 inches. Width of cutter 11/4 inches. Cutter adjustment made by wheel

F3943G (H1248) X1D00★.....\$1.50 One in box Wt. box 1/8 lb.

Length 6 inches, width of cutter 15% inches

One in box. Wt. box 11/4 lbs.

IRON BENCH PLANES STANLEY-BAILEY

Adjustable

Cutter is adjustable endwise by the adjusting wheel at back of frog. Adjustable sidewise by lever located near top and at back of cutter.

Japanned cast iron frame. Rosewood handle and knob. Finest quality tempered thin steel cutter, ground and honed ready for use.



Smooth Plane-Smooth Bottom

			Size	Wt.	
		Lgth.,	Cutter	r, Box,	
Each		ins.	ins.	lbs.	▲ Each
F3833G	(3)	X7D20★8	13/4	31/8	\$10.80
F3835G	(4)	X7D33★9	2	33/4	11.00

Smooth Plane-Corrugated Bottom

F3836G (4C) X7D53 + 9 2 33/4 11.30 One in box




J	ack Plane	-Smo	oth Bo	ttom	
		Lgth.,	Size		
Each		ins. (5)	ins.	lbs.	▲ Each
F3840G	X7D96★		2	5	\$11.95
Ja	ck Plane	Corru (5C)	gated	Bottor	n
F3841G	X8D16★		2	43/4	12.25
	Fore—S	H13553771	Botto	m	
F3846G	X12D33	(6)	23/8	7	18.50
	Fore-Co		ed Bot	tom	
F3847G	X12D53	(6C)	23/8	67/8	18.80
	Jointer-		h Bott	tom	
F3848G	X14D80	(7) 22	23/8	73/4	22.20
J	lointer—C	orruga (7C)	ted Bo	ttom	
F3849G	X15D00	, ,	23/8	8	22.50
J	lointer—C	orruga (8C)	ted Bo	ttom	
F3851G	X17D20	24 One in b		91/4	25.80

IRON BENCH PLANES

STANLEY-HANDYMAN

Fully adjustable. Tempered tool steel. Cutter ground on both sides. Castings are of gray iron. Sides and bottom are ground smooth and true. Japanned finish with mahogany finished handles and knob.



Smooth Bottom

With Polished Lever Cap

(H1203)

	L	gth.,	Wdth, Cutter		
Each		ins.			▲ Each
F3947G	X3D73★	8	13/4	3	\$5.60
		(H1	204)		
F3948G	X4D00★	9	2	33/8	5.98
		One	in box		



Jack

Smooth Bottom

Length 14 inches, 2 inch cut.

ı	Each		▲ Each
ľ	F3949G	(H1205)	▲ Each X4D67\$6.98 ox Wt box 4 lbs
5	VI FEW	One in h	ox Wt hox 4 lbs

SCRUB PLANES

STANLEY



Quickly planes down to a rough dimension any board that is too wide to conveniently rip with a hand saw, an operation that is sometimes called "hogging". This is made possible by reason of the peculiar shape of the extra heavy cutter, the cutting edge of which is rounded instead of square. Japanned cast iron, Beechwood handle and knob. Length 91/2 inches, size of cutter 11/4 inches.

Each		▲ Each
F3861G	(40)	X5D07\$7.60
	One	in box. Wt. box 21/8 lbs.

STAR * DENOTES BEST SELLER

JOINTER OR PLANE GAUGES

STANLEY-Adjustable




This jointer gauge is designed for use in connection with all sizes of iron jack or jointer planes. Enables the workmen to plane bevels of any angle between 30 and 90° or to square up the edges of boards with extreme accuracy. The tool is so constructed that it may be attached to either side of the plane, making it equally adaptable for right or left hand work. A hole is bored in each end of the gauge so that a wood face of any desired size may be attached, thus providing a bearing surface longer or wider than the face of the gauge itself. Made of malleable iron, nickel plated. Length 11 inches. Plain nickel plated gauge plate, machined planer surface. Rosewood knob forms a convenient grip and can be placed at either end of gauge.

Each			▲ Each
F4412G	(386)	X6D20	\$9.00
	One in	box. Wt. box 21/4 lbs	

RABBET AND FILLETSTER **PLANES**

STANLEY



Duplex

This plane has two seats for the cutter, one for regular work and the other where a bull-nose is required. It has a spur and a re-

movable depth gauge. The adjustable fence can be used on either side and slides under the bottom, regulating the width of cut. To work same as a rabbet plane, remove fence and arms. Length 81/2 inches. Cast iron handles, japanned. 1½ inch cutter.

Each		▲ Each
F3872G	(78)	X5D47\$8.20

One in box. Wt. box 33/8 lbs.

RABBET PLANES

STANLEY



These planes will lie perfectly flat on either side and can be used equally as well with right or left hand while planing into corners or up against perpendicular surfaces.

Length 8 inches. Cast iron handle, japanned. Fitted with spur which permits the plane being used for working across the grain, also fitted with a detachable depth gauge.

			Size Cutter,	Weight Box,	
Each			ins.	lbs.	▲Each
F3889G	(190)	X4D76	11/2	21/2	\$7.15
F3890G	(191)	X4D76	11/4	25/16	7.15
F3891G	(192)		1 in box	21/8	7.15



Cabinet Makers Regular Pattern

Nickel Plated Cast Iron

For fine cabinet or other work where extreme accuracy is required the sides and bottom being square with each other the plane will lie perfectly flat on either side and can be worked either right or left hand. Mouth can be widened or narrowed as coarse or fine work may require. Fitted with side groove or "handy" grip feature. Cutters are adjustable endwise.

are adjustable endw	isc.	Size	Wt.	
	Lgth.,	Cutter,	Box,	
Each	ins.	ins.	lbs.	▲Each
F3875G (92) X8D4	0 51/2	3/4	1	\$12.60

One in box

SIDE RABBET PLANES

STANLEY



A combination of right and left hand for trimming dados, mouldings and grooves of all sorts. Nickel plated cast iron. Length 5½ inches. ½-inch cutter.

	Each	(79) X5D97	ach
	F3873G	(79) X5D07\$7	.60
1	CELL BO	One in how We how 54 1h	

BULL NOSE RABBET PLANES

STANLEY



Cast Iron, Japanned


This plane will be found very useful for working close up into corners or other difficult places. The

mouth can be adjusted for different widths by means of the set screw on top of the plane. Length 4 inches. 1 inch cutter.

Each		▲ Each
F3871G	(75)	X1D60★\$2.40
	One	in box. Wt. box 5/8 lb

ROUTER PLANES

STANLEY



Open Throat

An improved design, giving more freedom for chips and a better view of the work and cutter. Has an attachment for regulating the thickness

of the chip and a second attachment for closing the throat for use on narrow surfaces. The bottom is designed so that an extra wooden bottom of any size desired can be screwed on enabling the user to router on larger openings. Cutters have screw adjustment and can be held as shown in illustration or on the back of the cutter post for bull nose work. Nickel plated cast iron. Maple knobs. Length 7½ inches. Furnished with one each ¼ and ½-inch cutters and V or smoothing cutters.

Each			▲ Each
F3869G	(71)	X7D47	\$11.20
	One in	box. Wt. box 23/8	bs.

RAZOR BLADE PLANES

LITTLE GIANT

Always sharp. Uses a double edged razor blade.

Adjusts instantly for desired depth of cut. For model wood work. Planing unevenly matched boards to a smooth flat surface, for fitting curves and beveling linoleum, plastic and rubber tile and many other uses.

For jobs other planes can't do—works on long curves, flat surfaces and short curves.


One on a 43%x5¼ inch card with instructions. Card punched at top for use as hanging display rack and by folding out tab at bottom it stands for display on counters and shelves.

FLAT BOTTOM PLANES



Each		Each
F3859G	D5C9	\$0.98

CURVED BOTTOM PLANES




Each		Each
F3860G	D5C9	\$0.98

One on card. Twelve cards in box Wt. box 31/4 lbs.

CUTTING TOOLS

STANLEY-SURFORM

Miracle Surface Forming Tools



Merchandiser Assortment

Assortment of 33 Stanley Surform tools on 23 inch wide by $21\frac{1}{2}$ inch deep display rack for pegboard wall or counter.

Assortment consists of following tools:

Qty.	No.	Description
3	399	Pocket Tool
2	296	Plane Type Tool
2	295	File Type Tool
2	295HR	Half Round Tool
2	295FC	Fine Cut Tool
4	294B	Regular Cut Blade
4	298B	Half Round Reg. Blade
4	394B	Fine Cut Blade
4	398B	Half Round Fine Blade
6	399B	Pocket Tool Blade

FX-2910D-G X32D36.....\$48.17 One asst. in ctn. Wt. ctn. 13 lbs.

Per Asst.


Per Asst.



Pocket Tool

Trims and forms wood, metal and plastics. Fits apron or overall pocket—only 5½ inches long. Die-cast silver finish body. Fine cut short blade. On individual "tell and sell" card.


Each		Each
F7009G	(399)	X1D00\$1.49
	Six in	ctn. Wt. ctn. 21/2 lbs.




Plane Type

Forms and trims wood, plywood edges, composition boards, asphalt tile, hard rubber, plastics, aluminum, brass, etc. 10-inch aluminum body with solid hardwood handle and knob. Regular cut blade.

Each		Each
F6797G	(296)	X2D47\$3.69
	Siv in	ctn Wt ctn 6 lbs






File Type Tools

Trims and forms wood, metal and plastics, Aluminum body with hardwood handle. Ribbed section on front permits comfortable two-hand use. Overall length 165% inches.

1	Each			Each
)	W	ith Flat	Regular Cut Blade	
	F6796G	(295) X1	D80	\$2.69
	1	With Flat	t Fine Cut Blade	
	F7012G	(295FC)	X1D80	2.69
	With I	Half Rou	nd Regular Cut Blad	e
	F7011G	(295HR)	X1D80	2.69

24 in ctn. Wt. ctn. 14 lbs.



399 B



294B




398B

Extra Blades

Each			Type	Cut	Each
1	F	or Poc	ket To	ol	
F7018G	(399B)	D4C9	Flat	Fine	\$0.75
RES	Six in	ctn. W	t. ctn.	½ lb.	
	For Plan	ne or F	ile Typ	e Tools	
F6798G	(294B)	D6C7	Flat	Regular	.98
F7016G	(394B)	D6C7	Flat	Fine	.98
F7015G	(298B)	D6C7	1/2 Rd	. Regular	.98
F7017G	(398B)	D6C7	16 Rd	Fine	98

Six in ctn. Wt. ctn. 3/4 lb.



Extra Blade Mcrchandiser Assortments For Plane or File Type Tools

Twelve replacement blades on attractive counter easel eard (6 each regular and fine cut.)

Per Asst.			Type	Per Asst.
F7019G	(94BA)	X8D00	Flat	\$11.76
F7020G	(98BA)	X8D00	Half Ro	and 11.76

One asst. in ctn. Wt. ctn. 2 lbs.

Each

CORNERING TOOLS

STANLEY

Polished Tool Steel-Length 53/4 inches



These tools are used by pattern makers and all wood-workers for rounding sharp edges. They have a different size cutter at each end and their form is such that no depth gauge is required.

1/16 and 1/8 inch Cutter

▲ Each


F4231G	(28) D5C6	\$0.85
	Six in box. Wt. box 10 oz.	
	3/8 and 1/4 inch Cutters	
Fach		▲ Each

F4232G (29) **D5C6**.....\$0.85 Six in box. Wt. box 12 oz.

PLANE IRONS

In ordering Plane Irons always give the make and number of plane for which they are wanted.

SINGLE IRONS STANLEY



For Iron Bottom Bench Planes

		,		
Each		Size of Cut, ins.	Wt. Box, lbs.	▲Each
F4020G	X1D04	13/4	11/4	\$1.55
F4021G	X1D04★	2	15/8	1.50
F4022G	X1 D33	23/8	21/4	1.90
F4023G	X1 D33	25/8	23/8	2.00
	Si	x in box		LANGE FOR



For Block Planes

Each For	plane No	Width, ins. o. 101 and	Wt. Box, 1b. 100	▲Each
+BX1−G	D3C1	1	3/4	\$0.45
-₽BX13%-G	For plan D3C6	e No. 102 1 ³ / ₈	3/4	.55
-, BXA13/8-G	D3C6	e No. 103 13/8	3/4	.55



For Block Planes

Width 13% inches
For blockplanes Nos. 60, 601%, 61 and 203

Each	D4C9	\$Each
F4016G	box 5/8 lb.	\$0.75

Width 1% inchess. For block planes Nos. 9½, 15, 16, 17, 18, A18, S18, 19, 63, 65, 65½ 118, 120, 131 and 220.

Each		▲Each
F4017G	(BPA15/8)	D4C9 \$0.75

Six in box. Wt. box 7/8 lb.

DOUBLE IRONS STANLEY



For Iron Bottom Bench Planes

	Size	W.C.	
	of Cut,	Box,	
Each	ins.	lbs.	▲ Each
+BD15/8-G X1D33	15/8	2	\$2.00
+BD13/4-G X1D40	13/4	21/4	2.10
F4015G (BD2) X1D40	0 2	234	2.10
+BD23/8-G X1D73	3 23/8	334	2.60
+BD25/8-G X1D80	25/8	41/4	2.70
Six in	Lox	200.00	

PLANE HANDLES



STANLEY

For Iron Planes

Rosewood For Bailey and Bed Rock planes Sizes Nos. 3, 4, 51/4, 101/2, 112 and 72.

Each			▲ Each
F5238G	(4)	D8C9	\$1.35

Rosewood. For Bailey and Bed Rock planes Sizes Nos. 4½, 5, 5½, 6, 7, 8, 10 and 52.

Each		▲ Each
F5239G	(5)	D8C9\$1.35
	Siv	in how Wt how 1 lb

WONDER TOOL

CLYDE



Multi-purpose. Does a hundred and one jobs. It's a scraper, chisel, pinch-bar, and tack and nail puller.

Heavy 10 gauge cutlery steel, hardened, tempered and ground to a keen edge. Length 9½ inches. Chiseling blade 1½ inches. Glossy coat of bright red paint.

Full color display card comes (no charge) with each box. Box requires only 53/4x101/2 inches counter space.

Each		Each
F4208G	(101)	Each D8C5 \$1.35

Twelve in box. Wt. box 43/4 lbs.

FLOOR AND CABINET SCRAPERS

STANLEY HANDYMAN



One piece hardwood head and handle, natural finish with red trim. Reversible steel blade. Extra blade clamped in slot. Blades easily changed.

Length over all 8¾ inches. Blade 2½ inches wide.

Each

A Each

BIG HAND



Four edges, two serrated edges to plow off the old surface, two straight edges to cut smooth.

Shape of handle makes it possible to exert pressure where most needed and affords a comfortable grip for the largest hands.

Paint brush type hardwood handle 9½ inches long, natural finish lacquered. High grade tempered steel blade 2½x2½ inches, bolted to head.

CRACK SCRAPERS

RED DEVIL



Designed expressly for plaster repair work.

Self sharpening replaceable cutters tempered for cutting clean, V-shaped grooves, necessary in repairing cracked plaster. Handle design makes it possible to use the tool in up-strokes and downstrokes on walls and overhead on ceilings.

Mounted on self-merchandising card.

Each		▲ E	Each
F4191G	(CC1)	D3C\$0).55
1	Twelve in	box. Wt. box 31/2 lbs.	

For F4191G (CC1) Crack Scrapers


	10114151G (001) Grash Garages
	Per Card
ι	(4 Pair) ▲Per Pair
	F4183G (CCB1) D7C2\$0.30
	Four pairs on card. Twelve cards in box. Wt.
	boy 1 lb

Items Marked → Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory. Stanley Plane Irons F. O. B. Now Britain, Conn. Keen Kutter Plane Irons, F. O. B., New Haven, Conn.

STAR ★ DENOTES BEST SELLER

FLOOR AND CABINET SCRAPERS RED DEVIL

Sturdy, smooth red enameled hardwood handles High carbon steel blades, tempered and sharpened. Blades are easily removed and replaced without screw.



Reversible Pistol Grip Pattern

Block holding blade is grooved on both sides. Handle fits either side. Double blade $2\frac{1}{2}$ inches wide. Length over all $8\frac{1}{2}$ inches.


Each F4190G		(8)	X1D	5		▲ Each
	Į.	Six	in ctn.	Wt. ctn.	21/4 lbs.	



Spade Shaped Handle

Double blade 21/2 inches wide. Length over all 91/2 inches. ▲ Each Each F4193G

EXTRA BLADES



No 40B and 50B

Serrated Section Nos. 40CB and 50CB. High carbon steel, tempered and sharpened ready for use.

Both edges straight for smooth cutting.

Per Pair			Width ins.	Pair, ozs.	▲ Per Pair
		(40	B)		
F4160G	D2C1★	40	11/2	1/4	\$0.35
		(50	B)		
F4162G	D3C0★	8 and 5	0 21/2	11/4	.50



Spade Shaped Handle

Double blade 11/2 inches wide. Length over all 71/4 inches.

Each		11.5 EST 1918 1 1 1 1 1 A	Each
F4192G	(40)	D4C5★	\$0.75

Twelve in ctn. Wt. ctn. 2 lbs.



Straight Handle

Single 1-inch replaceable blade. Length over all 5 inches.

Each					▲ Each
F4188G	(10)	D2C4.			\$0.40
T	welve	in ctn.	Wt. ctn.	11/4	lbs.

EXTRA BLADES

For F4188G-10 Scrapers

Width of blade 1 inch

Each ▲ Each F4169G (1) D1C2.....\$0.20

Twelve in box. Wt. box 6 ozs.

DRAWING KNIVES



Carpenters' Non-Folding
Forged from one piece of highest grade tool steel. Oil tempered, sharpened and whetted on an oil stone by hand. Full polished.
Ebony finish hardwood handles. Nickel plated steel ferrules and caps. Tangs extend through ferrules, handles and caps. Carefully headed at ends Length of handles 5 inches.

Each			Length Blade, ins.	Width Blade, ins.	Weight Box, lbs	Each
F4151GK	(K8)	X2D47★	8	11/4	21/2	\$3.70
F4152GK	(K9)	X2D53★	9	11/4	23/4	3.80
F4153GK	(K10)	X2D67	10	11/2	31/2	4.00
	, ,		Two in box			



Carpenters' Non-Folding

High grade forged tool steel blade, well tempered, ground and polished. Polished cherry stained handles. Polished steel caps and ferrules. Tangs extend through ferrules and caps and are carefully headed at ends. Width of blade 1½ inches. Length of handles 5 inches.

Each				s. Box, lbs.	Each
F4154G	(SB8)	X2D15	8	45/8	\$3.25
F4156G	(SB10)	X2D35	10	41/8	3.50
		Four in b	ЮX		

STAR * DENOTES BEST SELLER

FLOOR AND CABINET SCRAPERS

RED DEVIL

Sturdy, smooth red enameled hardwood handles High carbon steel blades, tempered and sharpened. Blades are easily removed and replaced without screw.



Reversible Pistol Grip Pattern

Block holding blade is grooved on both sides. Handle fits either side. Double blade $2\frac{1}{2}$ inches wide. Length over all $8\frac{1}{2}$ inches.

Each		▲ Each
F4190G	(8)	X1D05 \$1.75
	Six	in ctn Wt ctn 21/4 lbs



Straight Handle

Single 1-inch replaceable blade. Length over all 5 inches.

Each			▲ Each
F4188G	(10)	D2C4.	\$0.40
7	welve	in ctn.	Wt. ctn. 11/4 lbs.

EXTRA BLADES

For F4188G-10 Scrapers

Width of blade 1 inch

	width of blade I fileh	
Each	▲ Ea	ch
F4169G	(1) D1C2\$0.	20
	Twelve in box. Wt. box 6 ozs.	



RED DEVIL

Spade Shaped Handle

Double blade 2½ inches wide. Length over all 9½ inches.

Each		▲ Each
F4193G	(50)	D6C6★\$1.10
		box. Wt. box 21/8 lbs.



RED DEVIL

Spade Shaped Handle


Double blade 1½ inches wide. Length over all 7¼ inches.

Each	(40)				-	Ea	-
F4192G	(40)	D4C5★	 	 		\$0.	.75

Twelve in ctn. Wt. ctn. 2 lbs.

EXTRA BLADES FOR RED DEVIL SCRAPERS

High carbon steel, tempered and sharpened ready for use.



Both edges straight for smooth cutting.

Per Pair			Width ins.	Wt. Pair, ozs.	▲ Per Pair
		(40	B)		
F4160G	D2C1★	40	11/2	1/4	\$0,35
		(50	B)		
F4162G	D3C0★	8 and 5	0 21/2	11/4	. 50

Combination

One straight edge for smooth cutting and one serrated edge for roughing or plowing off old

		(40C	B)		
Per Pair			Width ins.	Wt. Pair, ozs.	▲ Per Pair
Per Pair F4161G	D2C1	40	11/2	1/4	\$0.35

CABINET SCRAPERS



STANDARD

Full Polished. Tempered Spring Steel.

Size, Wt. ins. Pkg., lbs. Each (1/2½x5)

F4166G D2C4 2½x 5 1½ \$0.36

Twelve in pkg.

SPOKE SHAVES

STANLEY



Raised Handles

Cutters are adjustable endwise or sidewise by means of adjusting screws.

Japanned iron frame with raised handles. High grade steel cutters correctly tempered and sharpened.

Width of cutters 2½ inches. Length over all 10 inches.



Double Iron-Improved

Equipped with cutter and cap iron fastened by a thumb screw so as to bring an even pressure on the cutting edge. Blade can be adjusted without the use of a screw driver.

Japanned iron frame. Polished tempered steel blade 21/8 inches wide. Length over all 10 inches

With Raised Handles

DRAWING KNIVES



Carpenters' Non-Folding

Forged from one piece of highest grade tool steel. Oil tempered, sharpened and whetted on an oil stone by hand. Full polished.

Ebony finish hardwood handles. Nickel plated steel ferrules and caps. Tangs extend through ferrules, handles and caps. Carefully headed at ends. Length of handles 5 inches.

Each		Length Blade, ins.	Width Blade, ins.	Weight Box, lbs.	Each
F4151GK	X2D47 ★ (K8)	8	11/4	21/2	\$3.70
F4152GK	X2D53★(K9)	9	11/4	23/4	3.80
F4153GK	X2D67 (K10)) 10	11/2	31/2	4.00

Two in box



Carpenters' Non-Folding

High grade forged tool steel blade, well tempered, ground and polished. Polished cherry stained handles. Polished steel caps and ferrules. Tangs extend through ferrules and caps and are carefully headed at ends. Width of blade 1½ inches. Length of handles 5 inches.

Each			Length Blade, ins.	Weight Box, lbs.	Each
F4154G	X2D15	(SB8)	8	45/8	\$3.25
F4156G	X2D35	(SB10)	10	41/8	3.50

Four in box

MERCHANDISE MANAGER'S SPECIAL PROMOTION

SOCKET FIRMER CHISELS

KEEN WE KUTTER



High carbon tool steel blades with beyeled edge. Perfectly tempered and ground. Full polished. Attractive red tenite handles, reinforced by hardened steel pins.

Red Tenite Plastic Handles

Beveled Edge-41/2-Inch Blade

			(KP)		
Each		Width Blade, lbs.	Length Over All, ins,	Weight Box, Ibs.	Each
F1652GK	X1D77	3/8	10	11/2	2 65
F1653GK	X1D77	1/2	10	11/2	2.65
F1654GK	X2D03	34	101/2	2	3.05

SOCKET BUTT CHISELS

KEEN KUTTER

Especially adapted for fitting butts to doors. Average length over all 91/2 inches. Natural finish varnished handle.



Blade forged from highest grade tool steel. Specially tempered. correctly beveled, sharpened ready for use. Full polished. Handle turned from selected hardwood. Leather capped.

Beveled Edge-21/2-Inch Blade

	mule.	(K)	Wt.	
Each		Width, ins.	Box, lbs.	Each
F1636GK X1	D33	1.4	1	2.00
F1637GK X1	D40	5∕8	11/6	2.10


F1841GK X2D10

11/2

3.15

Four in box

WOOD TURNING TOOLS DISSTON



For professional or home crafts workers.

High carbon tool steel blades hardened to a keen edge, with correct bevel. New design hardwood handles. Shaped for tireless turning. Bright metal ferrule.

Length of blades 634 inches, handles 10 inches

Set of Eight Consists of:

1-inch Skew, 1/2-inch Skew, 1/4-inch Gouge, 1/2-inch Gouge, 1/4-inch Gouge, 1/2-inch Spear Point, 1/2-inch Parting Tool and 1/2-inch Round' Nose.

Per Set Per Set F1729G (D1S) X10D00......\$14.95 One set in attractive hinged heavy cardboard case, black leatherette finish. Wt. case 51/2 fbs.

CHISEL HANDLES



Socket Firmer

Selected hardwood, smoothly finished and highly polished. Leather capped.

Each			Size for Chisels, ins.	A Each
F5265G	D3C0	(A)	1/4 to 1/2	\$0.45
F5266G	D3C3	(B)	34 to 11/4	.50
F5267G	D3C4	(C)	1½ to 2	.50
The second				

Twelve in box. Wt. box 11/4 lbs.

Four in box

MACHINISTS' CHISELS

MAYHEW



Diamond Point (DP)

Used by machinists, carpenters, masons, stone cutters, bricklayers and sidewalk makers. Forged from octagon tool steel, tempered. Natural finish body.

Each F1262G	D5C5	Size Point,	Size Steel,	Cr Length,	Weight Box, Ibs.	Each
F1263G	D5C7	1/16	7/16	61/2	2	.90
F1264G	D6C5	3/8	5/8	6	3	1.00
F1265G	D8C2	1/2	3/4	71/2	6	1.25

No DP14, twelve in box Others, six in box

COLD CHISELS STANLEY HANDYMAN

Hexagon carbon tool steel, hardened and tempered. Polished bits. Grey satin finish on body with red trim

The second second second second

	in.	Length in.	Box lbs.	A Each
	(H3	(8)		
3C5	3/8	51/4	11/4	\$0.50
	(H4	8)		
3C9	1/2	6	3	. 60
Ty	velve in	n a box		
	3C9	(H3 3C5	(H38) 3C5	(H38) 3C5

COLD CHISEL ASSORTMENTS



in a heavy red, painted wood box with bored slide cover to allow display of all sizes. Size 75/8x51/8x21/2 inches.

Forged from octagon tool steel. Oil tempered. natural finish. Ground cutting edge.

Contents:

2 No. F1286G-S%, 6 No. F1287G-S1/2, 4 No. F1288G-S% Cold Chisels.

Per Assortment F1292G

One asst. in box. Wt. box 41/2 lbs.

MACHINE PUNCHES





Extra Heavy-Straight Taper

Forged from highest grade tool steel, oil tempered. Black finish, Hexagon barrel. Polished head and point.

Each F4942GK	D3C5	(K532)	Se Size Point, in.	Size Size Body, in.	co Length,	Weight Box, Ibs.	Cach
F4943GK	D4C0	(K632)	%2	5/8	9	31/8	.60
F4941GK	D5C5	(K732)	8/32	3/4	10	41/2	.85
	S	ix in ctn					

MACHINE PUNCHES

KEEN AN KUTTER



Extra Heavy Straight Taper

D-1 D - C-14 - 14 C-11 - 114 - 1 1-1

16	Octago	on hamn	ner forged allog	y steel. Red Duco	hnish with ful	I polished he	ad and bit.	
()	Each			Size Point, in.	Size Body, in.	Length, in.	Wt. Ctn., Ibs.	Each
n	F1249GK	D3C5	(K48M)	6/32	1/2	8	21/4	\$0.55
U	F1250GK	D3C5	(K58M)	7/32	1/2	8	21/4	\$0.55
	F1251GK	D3C5	(K68M)	8/32	1/2	9	21/4	\$0.55
				Six in	ctn.			



Octagon hammer forged alloy steel. Red duco finish. With full polished head and bit.

Each		Size Point, in.	Size Body, in.	Length, in.	Wt. Ctn., lbs.	Each
F4926GK	D3C7 (K12)	⅓₂ Six in		6	1½	\$ 0.55

PRICK PUNCHES

SHAPLEIGHS



High grade octagon tool steel, carefully tempered. A true taper the entire length of point with a slight bevel at the tip. Natural finished body. Polished point.

Size body 3% inch. Length 4 inches.

(SP410%)

Each

F4976G D2C5

\$0.40

Twelve in box. Wt. box 13/8 lbs.

SOLID PUNCHES

SHAPLEIGHS



Forged from high quality steel. Nickel finish. Length 6 inches. Hexagon body 3/6 inch.

(DD88)

F3348G D2C7 Six in ctn. Wt. ctn. 11/2 lbs.

Per Set

F4906G X1D71

PIN PUNCH SETS

MAYHEW

Automobile

electric hammer. Tempered and finely polished points and head. Diameter of body ½ inch.

Consisting of four punches. Length 9 inches. One each %2, %2, 1\%2 and 1\%2 inch point.

(596)

One set in cardboard box. Wt. box 11/8 lbs.

Forged finish and knurled straight.

Highest grade tool steel. Hand forged under

Consisting of four punches. Full 6 inches long. Each One each 1/2, 1/2, 1/2 and 1/2 inch point.

\$0.40 Per Set F4905G X1D37

△Per Set \$2.06

▲Per Set

\$2,56

One set in box. Wt. box 3/4 lb.

WOOD CHISELS

KEEN M KUTTER



Bevel-edged high carbon steel carefully heat treated from cutting edge to plastic handle. Solid metal cap and transparent plastic red handle with black trim.

Blade lengths range from $2\frac{1}{4}$ to $2\frac{3}{4}$ inches. Over all lengths of $7\frac{5}{8}$ to $8\frac{3}{4}$ inches.

		(K60)		
Each		Width,	Wt. box, lbs.	Each
F1618GK	X1D70	1/4	11/8	\$2.55
F1619GK	X1 D70	1/2	1½	2.55
F1620GK	X2D00★	3/4	11/2	3.00
F1621GK	X2D07★	1	2	3.10
F1622GK	X2D47	11/4	21/8	3.70
F1623GK	X2D80	$1\frac{1}{2}$	$2\frac{1}{2}$	4.20

Four in box.

SOCKET BUTT CHISELS

KEEN KUTTER



High carbon tool steel blades with beveled edge. Perfectly tempered and ground. Full polished. Attractive red tenite handles reinforced by hardened steel pins.

Red Tenite Plastic Handles Beveled Edge—2¾-inch Blade

(KPB)


Each F1659GK	X1D53	Width Blade, ins.	Length Over All, ins. 8½	Weight Box, lbs.	Each \$2.30
F1660GK	X1 D53	3/8	81/4	11/8	2.30
F1661GK	X1D53★	1/2	81/4	$1\frac{1}{2}$	2.30
F1662GK	X1D83★	3⁄4	81/4	$1\frac{1}{2}$	2.75
F1663GK	X1 D93★	1	$8\frac{1}{2}$	2	2.90
F1664GK	X2D20	11/4	83/4	21/8	3.30
F1665GK	X2D63	11/2	83/4	$2\frac{1}{2}$	3.95


Four in box.

ALL STEEL WOOD CHISELS

KEEN KUTTER

An all purpose chisel with upset head, used by carpenters, plumbers and home craftsmen. Hammer forged alloy cutting steel, hardened and carefully tempered. Polished head and edge. Forged finish scored grip. Can be used with any type of hammer.





Set of Six Chisels

One each Nos. F1670GK–K83¾, F1671GK–K83½, F1672GK–K83⅓, F1673GK–K83¾, F1674GK–K83⅓, F1675GK–K83/1.

Set of Four Chisels

One each Nos. F1670GK-K83¾, F1671GK-K83½, F1672GK-K83¾, F1673GK-K83¾.

	(Birmentanza				
		(H	(83)		
Each F1669GK	D5C8	Width, inches	Length, inches 7	Weight Box, lbs.	Each \$0.90
F1670GK	D6C6	3/8	61/2	$\frac{3}{4}$	1.00
F1671GK	D8C0	$\frac{1}{2}$	7	11/2	1.25
F1672GK	D9C0	5/8	8	$2\frac{1}{2}$	1.35
F1673GK	X1D05	3/4	81/2	31/4	1.60
		Six i	n box.		
F1674GK	X1 D15	7/8	9	21/4	1.70
F1675GK	X1 D40	1	9½	$2\frac{1}{2}$	2.10
F1676GK	X1D65	11/8	10	3	2.50
		Three	in box.		

KEENKUTTER

WOOD CHISELS

FULLER'S

Super DeLuxe

Drop-forged blade—full bevel—long-lasting, extra sharp edge. Unbreakable, hammerproof, transparent handle.



Display Assortment

Four each 1/2, 3/4 and 1 inch blade sizes on free stand-up, hang-up metal rack. Individually carded.

Per Asst.			Per Asst.
FX-F90-G	X8D36		\$13.20
0		We ato	5 11 ₂₀

One asst. in ctn. Wt. ctn. 5 lbs.



Three-Piece Set

One each ½, ¾ and 1 inch blade sizes in durable plastic storage and carrying kit.

Per Set			Per Set
F1630G	(99)	X2D09	\$3.30
	One set	in how Wt how 11/ the	

OPEN STOCK

Individually Carded

	111	uiviuua	ny Carue	u	
				Wt.	
			Width	Box	
Per Box	of 2		in.	lb.	Each
F1625G	(92)	X1D28	1/2	3/8	\$1.00
F1628G	(94)	X1D42	3/4	1/2	1.10
F1629G	(96)	X1D52	1	3/4	1.20
		Two i	n box		

SOLD ONLY IN FULL BOXES

TANG BUTT CHISELS

STANLEY



Plastic Handles

Beveled Edge-3-inch Blade

Length Over All 8 to 9 inches

Blade forged from one piece, with tang from finest chisel steel. Carefully heat treated, machine cross ground and highly polished. Two long forged ears prevent blade from turning in handle.

Special Stanloid handle, transparent amber at top, opaque black at bottom. Crown shaped steel cap to center hammer blows and distribute force evenly to cutting edge.

(60)

10000000		(00)		
Each		Width, ins.	Box, lbs.	
F1338G	X1D73	1/4	7/16	\$2.60
F1339G	X1D73	3/8	1/2	2.60
F1340G	X1D80★	$\frac{1}{2}$	3/4	2.70
F1341G	X1 D87	5/8	5/8	2.80
F1342G	X1D87★	3/4	11/16	2.80
F1343G	X2D09★	1	3/4	3.15
F1344G	X2D33	11/4	1	3.50
F1345G	X2D67	$1\frac{1}{2}$	11/4	4.00
F1346G	X3D13	2	11/2	4.70

Two in box

STANLEY HANDYMAN



Plastic Handles Beveled Edge—21/2-inch Blade

Blade and bolster forged in one piece from high grade steel and treated to hold a keen cutting edge. Tough, amber-colored, transparent plastic handles.

(H1252)

Each F1350G	D9C3	Width Blade, ins.	Wt. Box, Ibs.	▲ Each \$1.40
F1351G	X1 D00	3/8	3/4	1.50
F1352G	X1D07★	1/2	34	1,60
F1353G	X1 D09★	34	11/8	1.64
F1354G	X1D27★	1	$1\frac{1}{2}$	1.90
F1355G	X1D47	11/4	2	2.20
F1356G	X1 D67	1½	21/4	2.50

Six in box.

TANG CHISEL SETS STANLEY HANDYMAN



Set of Four In Red Plastic Kit


Blade and bolster forged in one piece from select tool steel. Heat treated, tempered and carefully beveled to a thin blade for paring work.

Tough amber colored transparent plastic handles. Length of blade 2½ inches.

	One ead	ch	
	Width Blade inches	Length Over All inches	List Each
F1350G-H1252¼ F1352G-H1252½ F1353G-H1252¾ F1354G-H1252/1	1/4 1/2 3/4	$7\frac{1}{16}$ $7\frac{3}{16}$ $7\frac{1}{2}$ $7\frac{1}{16}$	\$1.39 1.55 1.59 1.75
Per Set F1739G (H1252)	R) X4D		Per Set\$6.94

One set in box. Wt. box 11/8 lbs.

CHISEL SETS STANLEY



Tang Butt

For cabinet and pattern makers, interior trim carpenters and others.

Blades and tangs forged from one piece of alloy steel, carefully heat treated to hold a keen durable cutting edge. Polished mirror finish. Stanloid handles, upper portion transparent amber, lower portion opaque black. Crown shaped steel


Neat black plastic roll with clear plastic loops to hold chisels. Plastic strap and buckle.

	Consists of:	
	Width	Length
	Blade,	Over All,
Quantity	inches	inches
1	1/4	$7\frac{7}{8}$
1	$\frac{1}{2}$	71/8
1	3/4	81/8
1	1,,,	8%
1	114	81/2
1	1/2	9
	Set of Six in Roll	D 0
Per Set		▲ Per Set
F1732G	(66) X13 D06	\$19.60

One set in box. Wt. box 3 lbs.

STAR * DENOTES BEST SELLER

CHISEL SETS **FULLER**



Full bevel extra sharp blades. Unbreakable amber handles. Blister-proof domes.

In Plastic Roll

Set consists of one each: 1/2 inch, 3/4 inch, and 1 inch.

Per Set (839 R) X1 D32..... F1746G Four sets in ctn. Wt. ctn. 1 lb.

OPEN STOCK

Length of blade 41/4 inches. Over-all length 8 inches.

			Width Blade.	Wt. Ctn.,	
Each			in.	lbs.	Each
F1347G	(840)	D4C4	1/2	11/8	\$0.70
F1348G	(841)	D4C4*	3/4	11/2	.70
F1349G	(842)	D4C4	1	17/8	.70
		Six in c	tn.		

CHISEL HANDLES

KEEN ALL KUTTER



Keen Kutter red tenite plastic reinforced by hardened steel pins.

Will Fit Chisels-

KPB-1/4, 3/8, 1/2, 3/4 inch KP-1/4, 3/8, 1/2 inch K-1/4, 3/9, 1/9, 3/4 inch

/41	/01 /21	/4
Each		Each
F5268GK	(11P)	D4C7\$0.75

Will Fit Chisels-

KPB-1, 11/4, 11/2, 2 inch KP-3/4, 1, 11/4 inch K-1, 11/4, 11/6, 2 inch


Each		D5C5
Will Fit C	hisels-	

KP-11/2, 2 inch

Each Each F5270GK (13P) D7C5..... Twelve in box. Wt. box 11/2 lbs.

CHISEL HANDLES

KEEN WITTER



Socket Butt

Selected hardwood, smoothly finished and highly polished. Leather capped. Length 41/8 inches.

Each			Size for Chisel, ins.	▲Each
F5263G	(E)	D3C2	1/4 to 3/4	\$0.50
F5264G	(F)	D3C6	1 to 2	.55

Twelve in box. Wt. box 11/2 lbs.



Socket Firmer and Butt

Made of a transparent, unbreakable, amber colored cellulose. Fits chisels from 1/4 to 11/4 inches.

Each		Each
F5252G	(25)	D2C7★\$0.40
7	Twelve	in box. Wt. box 15% lbs.

BUILDERS CHISELS

KEEN WE KUTTER



Forged from highest grade octagon tool steel. Oil tempered, polished head and bevel. Body finished in bronze green.

Each F1334GK (K8)	D6C7	Width Cut, inc	10 Length, inches	Each \$1.05
F1335GK (K9)				ALTERNATION AND ADDRESS OF THE PARTY OF THE
F1336GK (K10)	X1D07★	3/4 3/4	12 81/2	1.60
	Siv in 1	nov		

STAR + DENOTES REST SELLER

COLD CHISELS

KEEN AKUTTER



Octagon hammer forged alloy steel, oil tempered. Red Duco finish with full polished head

	(n	X)			
	Cutting Edge ins.	Diam. Steel ins.	Length ins.	Wt. Ctn. Ibs.	Each
D3C2	1/4	1/4	43/4	3/4	\$0.50
Т					
D3C6	3/8	3/8	51/2	1	. 55
D4C0	1/2	1/2	6	2	.60
D4C7	5/8	5/8	61/2	3	.70
				434	.90
D8C0	7/8	7/8	8	83/4	1.20
	Six in	ctn.			
D9C4	1	7/8	8	143/4	1.45
T	welve	in ct	n.		
	D3C6 D4C0 D4C7 D5C8 D8C0	D3C2 1/4 Twelve D3C6 3/8 D4C0 1/2 D4C7 5/8 D5C8 3/4 D8C0 7/8 Six in	D3C2 ¼ ¼ ¼ Twelve in ct D3C6 ¾8 ¾8 D4C0 ½2 ½2 D4C7 ¾8 ¾8 D5C8 ¾4 ¾4 D8C0 ¾8 ¾8 Six in ctn. D9C4 1 ¾8	D3C2 1/4 1/4 43/4 Twelve in ctn. D3C6 3/8 3/8 51/2 D4C0 1/2 1/2 6 D4C7 5/8 5/8 61/2 D5C8 3/4 3/4 7 D8C0 7/8 7/8 8 Six in ctn.	D3C2 1/4 1/4 43/4 3/4 Twelve in ctn. D3C6 3/8 3/8 51/2 1 D4C0 1/2 1/2 6 2 D4C7 5/8 5/8 61/2 3 D5C8 3/4 3/4 7 43/4 D8C0 7/8 7/8 8 83/4 Six in ctn. D9C4 1 7/8 8 143/4

KEEN KUTTER



Regular

Forged from highest grade hexagon tool steel. Oil tempered. Polished bevel and head. Red enamel finish body.

Each F1270GK	D3C0	∞ Width Cut, inch	Diameter,	2 Length,	Weight Box, lbs.	Each \$0.45
	Tw	relve	in ct	n.		
F1267GK	D3C3★	1/2	7/6	6	13/4	.50
F1271GK	D4C0 *	5/8	1/2	61/2	21/4	.60
F1269GK	D5C0★			7	334	.75
F1272GK	D6C6	7/8	3/4	71/2	51/2	1.00
F1266GK	D8C2	1	7/8	71/2	71/2	1.25
	5	Six ir	ctn.			

SHAPLEIGHS



Forged from octagon tool steel. Oil tempered. Natural finish. Ground cutting edge.

			(S)			
		lidth	Diam.	Lgth.,	Wt. Box,	
Cach		in.	in.	ins.	lbs.	Each
1289G	D4C0★	3/4	5/8	67/8	35/8	\$0.60
1290G	D4C6★	7/8	3/4	71/2	51/2	.75
1291G	D6C0	1	7/8	71/2	71/2	.90
		Six	in box			

KEEN KUTTER ALLOY PUNCH AND CHISEL SILENT SALESMAN

Designed for suggested selling and quick turn-over this **KEEN KUTTER** silent salesman contains 36 tools of 17 popular sizes and types of **KEEN KUTTER** alloy punches and cold chisels. One each of the 17 is displayed in the attractive compact red hardwood stand which measures only $6\frac{1}{8} \times 8$ inches and $1\frac{1}{8}$ inches high. The back of the display provides space for retail pricing and tool identification.

KEEN KUTTER alloy punches and chisels are made of special alloy tool steel with cutting edges and points tempered to withstand full hammer blows. They are attractively finished with alternate polished and red baked enamel sides.



_		Contents:	01	
Quan- tity	Nos.	Items	Size, in.	Each
2	F1273GK-KA1/4	Cold Chisels	34	\$0.70
2	F1274GK-KA3/8	Cold Chisels	3/8	.75
3	F1275GK-KA1/2	Cold Chisels	1/2	.85
3	F1276GK-KA5/8	Cold Chisels	5/8	.90
2	F1277GK-KA34	Cold Chisels	34	1.00
2	F1278GK-KA7/8	Cold Chisels	3/8	1.20
2	F4931GK-K73	Pin Punch	3/32	.75
2	F4932GK-K74	Pin Punch	1/8	.75
2	F4933GK-K75	Pin Punch	5/42	.75
2	F4934GK-K76	Piu Punch	3/16	.75
2	F4935GK-K77	Pin Punch	7/32	.75
2	F4936GK-K78	Prick Punch	3/8	.75
2	F4937GK-K79	Prick Punch	1/2	.85
2	F4938GK-K81	Center Punch	1/2	.85
2	F4944GK-K703	Long Taper Punch	3/32	.85
2	F4945GK-K704	Long Taper Punch	4/32	.85
2	F4946GK-K705	Long Taper Punch	5/32	.85

Assortment of 36 Tools-One of Each in Display Stand

Per Asst.	Pe	er Asst.
FX-KAA-GK	X20 D40	\$30.60
	0	

One asst. in ctn. Wt. ctn. 12 lbs.

OPEN STOCK

		Width	(KA)	Laurel	We	
Each		Cut,	Body, in,	Length,	Wt. Box,lbs.	Each
F1273GK	D4C6	1/4	1/4 x 1/4	5	1	\$0.70
F1274GK	D5C0★	3/8	3/8 x 3/8	51/2	21/4	.75
F1275GK	D5C5★	½ T	3/8 x 3/8 welve in bo	6 x	23/4	.85
F1276GK	D6C0★	5/8	½ x ½	61/4	$2\frac{5}{8}$.90
F1277GK	D7C0★	3/4	5/8 x 5/8	7	41/4	1.00
F1278GK	D8C0	7/8	34 x 34 Six in box	71/2	6	1.20

COLD CHISELS

PRICK PUNCHES

Each			Size ody, in.	Length, ins.	Wt. Box,lbs.	Each
F4936GK	(K78)	D5C0★	3/8	5	2	\$0.75
F4937GK	(K79)	D5C5	1/2	51/4	4	.85
			Twelve	in box		

CENTER PUNCHES

Twelve in box. Wt. box 33/4 lbs.

PIN PUNCHES

Each			Point,	Size Body, in,	Length,	Wt. Box,lbs.	Each
	(1470)				ins.		TARREST COM
F4931GK	(K73)	D5C0	3/32	1/4	$4\frac{1}{2}$	3/4	\$0.75
F4932GK	(K74)	D5C0	1/8	1/4	5	1	.75
F4933GK	(K75)	D5C0	5/33	3/8	51/2	2	.75
F4934GK	(K76)	D5C0★	3/16	3/8	6	2	.75
F4935GK	(K77)	D5C0	7/32	7/16	6	21/2	.75
			Twelve	in box			

LONG TAPER PUNCHES

Each			Size oint, in.	Size Body, in.	Length,	Wt. Box,lbs.	Each
F4944GK	(K703)	D5C5	3 52	3/8	9	3	\$0.85
F4945GK	(K704)	D5C5★	1/8	3/8	9	31/4	.85
F4946GK	(K705)	D5C5★	5/32	7/6	9	41/4	.85

Twelve in box

MASONRY DRILLS

KEEN KUTTER



Carbide-Tipped Merchandiser

Assortment of 18 most popular sizes masonry drills and sturdy attractive, masonite and hardwood counter display 12½ inches high. Displays one of each size in plastic tubes.

In Assortment

Otv.	No.	Size, in.
2	F7737GK	3/16x3
5	F7738GK	1/4×4
3	F7739GK	5/16×4
3	F7740GK	3/8×6
3	F7741GK	½x6
2	F7742GK	5/8×6

Per Asst.		Per Asst.
FX-4427-GK	X26D87	\$44.27

One asst. in ctn. Wt. ctn. 12 lbs.

KEEN AL KUTTER



Carbide tipped drills in a handy yellow (see through) plastic kit.

1/4 Inch Shank, Length 4 Inches

Contains four of the most popular drill sizes: $\frac{1}{4}$, $\frac{5}{6}$, $\frac{3}{8}$ and $\frac{1}{2}$ inch.

Per Set		Per Set
F7744GK	X3D15	\$4.70

Fifty sets in box. Wt. box 181/2 lbs






Carbide Tipped

Can be used in all rotary type electric drills, hand braces and drill presses.

High grade steel spiral fluted. Designed to eject dust and drilling dirt out of hole in a smooth steady flow.

		Diam. Point,	Diam. Shank,	Length,	Wt. Pkg.,	
Each		in.	in.	in.	Ibs.	Each
F7737GK	X1D35	3/16	3/16	3	3/8	\$2.00
F7738GK	X1D35★	1/4	1/4	4	3/4	2.00
	X1D46★		1/4	4	1/6	2.19
F7740GK	X1D61★	3/8	1/4	6	134	2.40
F7741GK	X2D06★	1/9	3/2	6	31/4	3.00
F7742GK	X2D51	5/8	1/2	6	514	3.75
	X3D15		1/2	6	134	4.75

3/16 up to 5/8 inch twelve in box. Balance three in box



For Hand Drilling into Concrete, Stone and Brick

These four-point drills are very efficient for hand drilling holes in concrete, stone, brick and similar materials. They are selfcentering, have good clearance and will not bind in the hole.

High grade tool steel, hand forged and hand tempered. Can be easily re-sharpened.

D3C2 D3C3 * D4C0 * D4C6 * D5C4 D6C2 D4C2 D5C0	166 1/2 5/8 3/4 7/8 1 1/2 5/8	Diam. Stock, in. 3/16 3/16 3/16 3/16 3/16 3/16 3/16 3/16	Length, in. 12 12 12 12 12 12 12 12 12 12 12 18 18	Wt. Box, lbs. 11/2 21/2 31/2 5 61/2 81/2 13 13 71/4 91/2	Each 80,50 ,50 ,55 ,55 ,55 ,75 ,85 ,95 ,65
D5C8	3/4 7/8	1/2 5/8 11/16	18 18 18	$\frac{612}{10}$.95 1.05 1.15
	D2C9 ★ D2C9 ★ D3C2 D3C3 ★ D4C0 ★ D4C6 ★ D5C4 D6C2 D4C2 D5C0	Point, in. D2C9★	Point, Stock, in. in. D2C9★	Point, Stock, Length, in.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

MASONRY DRILLS

N. E.-CYCLO-TWISTS

Designed to drill any size hole in any masonry material. Fit any rotary drill, drill press or hand brace.

Special steel body. Dust removing spiral flutes run from cutting edges to shank end. Carbide tipped. Double dust exits.



		(01)				
Each		Diameter Point, ins.	Diameter Shank, ins.	Length, ins.	Weight Pkg., Ibs.	Each
F7764G	X1D35	3/16	1/4	3	3/4	\$2.03
F7765G	X1D35★	1/16	1/4	4	3/4	2.03
F7766G	X1D46★	5/16	1/4	4	3/4	2.19
F7767G	X1 D60★	3/8	1/4	4	11/2	2.40
F7768G	X1D80	7/16	3/8	6	25/8	2.70
F7769G	X2D02★	8/16	3/8	6	33/8	3.03
F7751G	X2D02	8/16	1/4	6	31/4	3.03

F7771G	X2D48	10/16	1/2	6	25/8	3.71
F7773G	X3D15	3/4	1/2	6	31/2	4.73
F7774G	X3D82	14/16	1/2	6	41/8	5.73

Twelve in pkg.

Six in pkg.



Cyclo-Twist

A proven sales builder. Can be used on counter or wall. Price list on back of display.

Size of display—Width 9 inches, Height 81/2 inches, Depth 134 inches.

Carbide tipped bits for drilling tile, brick,

Ali Shanks 1/4 inch

Contains 2 each of the following:

Display Furnished (No Charge)

Per Asst.

F 7776 (JIS55) X15D58

One in cen. Wt. cen. 2 lbs.

PRICK PUNCHES





Forged from highest grade tool steel. Oil tempered. Round knurled barrel. Full polished point. Length 4 inches.

Each			Each
F4940GK	(K217)	D2C8	\$0.45
Tw	elve in bo	x Wt. box 11/2 lbs.	

MACHINE PUNCHES



Pin

Forged from highest grade tool steel, oil tempered. Black finish hexagon barrel. Polished point tapers from barrel to within 3/4 inch of end. Balance of point straight.

Each		Size Point, in.	Size Body, in,	Length, ins.	Weight Ctn., lbs.	Each
F4927GK (K13)	D3C5★	6 32	1/2	6	33/4	\$0.55
F4928GK (K14)	D3C0★	5/82	3/8	6	31/4	. 50
F4929GK (K15)	03C0★	1/82	3/8	6	31/4	. 50
F4930GK (K16)	03C0★	3/82	3/8	6	31/4	.50
1	Twelve i	in ct	n.			

STARTER PUNCHES

SHAPLEIGH'S



Ledger Plate or Sickle Section

For starting rusted or frozen rivets on ledger plates or sickle sections easily and quickly. Used in connection with No. S36LP pin punches.

Alloy tool steel, properly hardened and tempered. Black finish barrel, polished taper and head.

Octagon shape barrel ½-inch diameter. Tapered section 2½ inches long to ½-inch diameter at point. (.002 inch undersize to prevent binding.) Length over all 6 inches.

Each		Each
F4968G	(S401LP)	D3C5★\$0.55

Twelve in box. Wt. box 31/4 lbs

PIN PUNCHES

SHAPLEIGH'S



Ledger Plate or Sickle Section

Specially designed to drive rivets out of ledger plates or sickle sections.

Alloy tool steel, properly hardened and tempered. Black finish barrel, polished taper and head.

Octagon shape barrel ½-inch diameter Straight section is .002-inch less than ½-inch to prevent binding. Length over all 6 inches.

Each Each F4967G (S36LP) D3C5★.....\$0.55

Twelve in box. Wt. box 3 lbs.

MACHINE PUNCHES

KEEN AL KUTTER



Lining Up

Octagon hammer forged alloy steel. Red duco finish. With full polished head and bit.

Each	Siz	e Point, in.	Size Body, in.	Length,	Lgth. Taper, in.	Wt. Ctu., lbs.	Each
F1252GK (KL453)	D5C0	3.62	1/2	8	4	134	\$0.75
F1253GK (KL453)	D5C7	3/16	5/8	9	6	31/2	. 85
F1254GK (KL457)	D6C4	3/16	3/4	10	7	31/2	1.00
			Sie in	ctn			

SELF-CENTERING **PUNCHES**

MAYHEW



Permits the finding of exact center of screw holes in hinges, switch plates, locks, lock strikes, etc. Place tool in screw hole and the tapered end automatically finds the center, then tap the center plunger and the hole is made so that the screw will go in straight and in dead center. Polished knurled steel barrel 21/2 inches long. Steel plunger 3 inches long.

Each			Each
F4903G	(404)	D3C6	\$0.55
		n box. Wt. bo	

ELRAY



Will find the exact center of screw holes in hinges, switch plates, locks and lock strikes by placing the tool in screw holes and tapping the center plunger to start the screw in dead center.

Polished knurled steel barrel 2 inches long, 1/2 inch diameter. Steel pointed plunger 25% inches long.

Spring Action			
Each			Each
F4899G	(101)	D2C8★	\$0 .45
		in box. Wt. box. 1	

CENTER PUNCHES

KEEN A KUTTER



Forged from highest grade tool steel, oil tempered. Polished head and point, round knurled barrel. Length 31/8 inches.

Each			Each
F4939GK	(K2 15)	D2C8★	\$0.45
		ox. Wt. box 11/4	

CENTER PUNCHES

SHAPLEIGH'S



High grade octagon tool steel, carefully tempered. A true taper the entire length, with a slight bevel at the tip. Natural finished body, polished point.

			Size		Wt.	
		В	ody	Lgth.	,Box	
Each			in.	ins.	lbs.	Each
F4969G	(SC4153/ ₈)	D2C8	3/8	4	15/8	\$0.45
F4970G	(SC4161/ ₂)	D3C3	1/2	6	13/4	.50
	No. SC41	53%. tw	elve	in bo	X	

No. SC4161/2, six in box

GENERAL



A precision made, simply constructed, quality

Adjustable for light or heavy impressions. For instantaneous single hand spotting.

Replaceable points made of special, tempered alloy steel.

Length 5 inches. Diameter 1/2-inch.

Each		▲ Each
F4898G	(79)	X2D60 \$3.90

One in plastic tube, six in display box Wt. box 11/8 lbs.

TICKET PUNCHES




Nickel plated and polished stamped steel frame and knurled handles. Tempered steel plunger. Wire spring and ticket remover. 1 inch slot. Length over all 5 inches. Assorted shaped dies furnished in hearts, clubs, spades and diamonds.

Each		Each	
F4952G	(P260)	D2C8½\$0.45	
	Twelve in	box. Wt. box 3/4 lb.	

BELT PUNCHES

STANDARD



Tool steel. Tempered and polished point. Natural finished body. The barrel is swaged and slot is milled out.

Each				Weight Box., lbs.	Each
		(4)			
F4887G Lots of 12	D2C87	. , .	31/2	5/8	\$0.45
		(5)			
F4888G Lots of 12	D2C8 D2C6	%4	31/2	5/8	. 45
		(6)			
F4889G Lots of 12	D2C8 D2C6	5/32	31/2	1	.45
		(7)			
F4890G Lots of 12	D3C0 D2C8	3/16	31/2	1	. 50
		(8)			
F4891G Lots of 12	D3C0 7	★ 1/ ₃₂	31/2	1	. 59
		(9)			
F4892G Lots of 12	D3C07	* ¼	3¾	11/4	. 50
		(10)			
F4893G Lots of 12	D4C07	★ ¾2 ★	4	13/8	. 55
		(12)			
F4894G Lots of 12	D4C07	★ ¹¹ / ₃₂	4	1½	.55
	T	welve in	box		

SPRING PUNCHES

BERNARD



Revolving-6-Tube

Bright steel frame and knurled handles. Riveted joint. Heat treated index spring. Riveted copper anvil. Removable tempered steel drive tubes. Length 8 inches. With Tube Nos. 1, 2, 3, 4. 5 and 7.

g	Each				▲ Each
100	F4902G	(386)	X1D50★		\$2.25
	One in	box. Six	k boxes in ctn	. Wt. ctn.	4 lbs.

NAIL SETS



KEEN WE KUTTER

Molybdenum alloy steel, oil tempered. Polished square heads and points. Square heads prevent olling. Carefully cupped points eliminate breakage. Size of point stamped on side of each nail set.

Display stand painted carmine with KEEN KUTTER trade mark. Holds two dozen KEEN KUTTER nail sets.

Assorted

Consist of two dozen assorted sizes; 1/32, 3/32, 3/32, and 1/2 inch points and display stand no charge.

Per Asst.		Per Asst
F1215GK	(K250)	X7D20\$10.80

One asst. in box. Wt. box 31/2 lbs.


Single Sizes

Each			Size Point in.		Each
F1216GK	(K2501)	D3C0	1/32	1	\$0.45
F1217GK	(K2502)	D3C0	2/32	1	.45
F1218GK	(K2503)	D3C0	3/32	1	.45
F1219GK	(K2504)	D3C0	4/32	1	.45

Twelve in ctn.

NAIL SETS

KEEN A KUTTER



Square Head

Hammer forged from finest crucible steel carefully tempered. Diameter of barrel 5/16 inch. Length 4 inches.

Assortment of one dozen, size of points 2/32 to 1/32 inch.

Per Asst						Per Asst.
F1220GI	K (KS150)	X	D85		\$4.60
	One	asst. in	box.	Wt.	box 2 lb	s.

Single Sizes

	Twe	elve in l	box.		
F1221GK	(KS1502)	D2C4	2/32	1	\$0.40
Each			in.	lbs.	Each
			Point	Box	
			Size	wt.	

MAYHEW NON-SLIP



This nail set is designed to prevent nail set from sliding off nail head. Can be used with dent headed nails or ordinary flat head nails. The conical point drives into the head of nail and will not slip or slide. Large square heads prevent rolling. Knurled body for a firm grip. Hammer forged from an alloy steel, hardened and tempered. Bright polished head and point.

			Size Peint	Wt. Box	
Each			in.	lns.	▲ Each
F1207G	(433)	D2C4	2/32	7/8	\$0.40
F1208G	(433)	D2C4	3/32	7/8	.40
		Twelve	in box	MARKET	

SYRACUSE NOROL



Extra quality cast steel, oil tempered. Blued head and cup point. Knurled square barrel. Length 4 inches.

One Dozen Assorted Sizes:

1/82, 3/32, 3/32 and 1/32 inch points.

Per Asst.		Per Asst.
F1202G (90NS) X2D00	\$3.00
One asst. in	box. Wt. box 3/4 lb	

	S	traight	Sizes		
Each			Size Point, in.	Wt. Box, lbs.	Each
F1203G	(91 N)	D1C7	1/32	1	\$0.25
F1204G	(92N)	D1C7	2/32	1	.25
F1205G	(93N)	D1C7	3/32	1	.25
F1206G	(94N)	D1C7	4/32	1	.25
	7	welve i	n box		

STEEL FIGURES AND **LETTERS**

YOUNG BROS.

High carbon steel scientifically heat treated and rust-proofed. Machine made gothic face. Clear deep impressions. Anti-mushroom head Anti-chip.



Figures

Set consists of 1 each 0 to 8 Reverse the 6 for a 9.

Per Set	G	X1 D30	Size, in.	lbs.	▲ Per Set \$1.95
+5YF3/32		X1D30	3/32	3/8	1.95
L1236G	(YF1/8)	X1D30	1/8	5/8	1.95
L1237G	(YF3/16)	X1D65	3/16	3/4	2.50
L1238G	(YF1/4)	X1D95	1/4	11/8	3.95
+YF5/16-0	G	X2D25	5/16	11/2	3.40
+YF3/8-G		X2D85	3/8	21/4	4.30

One set in handsome lacquered box



Letters

Set consists of A to Z and &

Per Set			Size,	Wt. Set, Ibs.	▲ Per Set
4YL1/16-C	à	X3D85	1/16	3/4	\$5.80
+YL3/32-C	à	X3D85	3/32	1	5.80
L1244G	(YL1/8)	X3D85	1/8	15/8	5.80
L1245G	(YL3/16)	X4D95	3/16	21/4	7.50
L1246G	(YL1/4)	X5D85	1/4	31/4	8.80
+YL5/16-C		X6D65	5/16	41/2	9.95
+YL3/8-G		X8D55	3/8	6	12.85
One	set in hand	Isome lac	quere	d box	

Each

\$0.70

.75

.85

.90

1.00

1.20

.75

.75

.75

.75

.75

.75

.85

.85

.85

.85

.85

Size,

1/4

3/8

1/2

3/4

1/8

5/32

7/32

3/8


1/2

1/2

KEEN KUTTER ALLOY PUNCH AND CHISEL SILENT SALESMAN

Designed for suggested selling and quick turn-over this **KEEN KUTTER** silent salesman contains 36 tools of 17 popular sizes and types of **KEEN KUTTER** alloy punches and cold chisels. One each of the 17 is displayed in the attractive compact red hardwood stand which measures only $6\frac{1}{8} \times 8$ inches and $1\frac{7}{8}$ inches high. The back of the display provides space for retail pricing and tool identification.

KEEN KUTTER alloy punches and chisels are made of special alloy tool steel with cutting edges and points tempered to withstand full hammer blows. They are attractively finished with alternate polished and red baked enamel sides.



Assortment of 36 Tools—One of Each in Display Stand

Per Asst.	Pe	er Asst.
FX-KAA-GK	X20 D40	\$30.60

One asst. in ctn. Wt. ctn. 12 lbs.

OPEN STOCK

D4C6	Width Cut, in.	(KA) Body, in. 14 x 14	Length, ins. 5	Wt. Box,lbs.	Each \$0.70
D5C0★	3/8	3/8 x 3/8	51/2	21/4	.75
D5C5★	½ Tv	3/8 x 3/8 welve in bo	6 x	23/4	.85
D6C0★	5/8	½ x ½	61/4	$2\frac{5}{8}$.90
D7C0★	3/4	5/8 x 5/8	7	41/4	1.00
D8C0	1/8	34 x 34 Six in box	7½	6	1.20
	D5C0★ D5C5★ D6C0★ D7C0★	Cut, in. D4C6	Width Cut, in. D4C6 ¼ ¼ x ¼ D5C0★ ¾ ¾ x ¾ D5C5★ ½ ⅓ x ¾ Twelve in bo D6C0★ ⅓ ⅓ x ⅓ D7C0★ ¾ ⅓ x ⅓ D7C0★ ¾ ⅓ x ⅓ D7C0★ ⅓ ⅓ x ⅓ D7C0★ ⅓ ⅓ x ⅓	Width Cut, in. Body, ins. D4C6 ¼ ¼ x ¼ 5 D5C0★ ¾ ¾ x ¾ 5 D5C5★ ½ ¾ x ¾ 6 Twelve in box D6C0★ ¾ ½ x ½ 6¼ D7C0★ ¾ ⅓ x ¾ 7½ D8C0 ⅓ ¾ x ¾ 7½	Width Cut, Body, Length, Wt. Box,lbs. D4C6

COLD CHISELS

PRICK PUNCHES

		(K			
Each		Size Body, in.	Length, ins.	Wt. Box,lbs.	Each
F4936GK	D5C0★	3/8	5	2	\$0.75
		(K)	79)		
F4937GK	D5C5	1/2	51/4	4	.85
		Twelve	in box		

CENTER PUNCHES

Size of body ½ inch, length 5¼ inches.

(K81)

Each

F4938GK D5C5★...

Twelve in box. Wt. box 334 lbs.

PIN PUNCHES

Each		Point, in.	Body,	Length,	Wt. Box,lbs.	Each
F4931GK	D5C0★ (K73	3/32	1/4	41/2	3/4	\$0.75
F4932GK	D5C0★ (K74) 1/8	1/4	5	1	.75
F4933GK	D5C0★ (K75) 5/82	3/8	51/2	2	.75
F4934GK	D5C0★ (K76	3/16	3/8	6	2	.75
F4935GK	D5C0 (K77)) 7/32	7/16	6	21/2	.75
		Twelv	e in box			

LONG TAPER PUNCHES

Each			Size Point, in.	Size Body, in.	Length,	Wt. Box,lbs.	Each
F4944GK	D5C5	(K703)	8 82	3/8	9	3	\$0.85
F4945GK	D5C5★	(K704)	1/8	3/8	9	31/4	.85
F4946GK	D5C5★	(K705)	5/2	1/6	9	41/4	.85

Twelve in box

Each

KEEN KUTTER



Carbide-Tipped Merchandiser

Assortment of 18 most popular sizes masonry drills and sturdy attractive, masonite and hardwood counter display 12½ inches high. Displays one of each size in plastic tubes.

In Assortment

Qty.	No.	Size, in.
2	F7737GK	3/16x3
5	F7738GK	1/4x4
3	F7739GK	5/16×4
3	F7740GK	3/8×6
3	F7741GK	½x6
2	F7742GK	5/8×6

One asst. in ctn. Wt. ctn. 12 lbs.

KEEN ME KUTTER



Carbide tipped drills in a handy yellow (see through) plastic kit.

1/4 Inch Shank, Length 4 Inches

Contains four of the most popular drill sizes: $\frac{1}{4}$, $\frac{5}{6}$, $\frac{3}{8}$ and $\frac{1}{2}$ inch.

Per Set		Per Set
F7744GK	X3D15	\$4.70

Fifty sets in box. Wt. box 181/2 lbs

MASONRY DRILLS

HILLS



KEEN WE KUTTER

Carbide Tipped

Can be used in all rotary type electric drills, hand braces and drill presses.

High grade steel spiral fluted. Designed to eject dust and drilling dirt out of hole in a smooth steady flow.

		Diam. Point.	Diam. Shank.	Length.	Wt. Pkg.,	
Each		in.	in.	in.	lbs.	Each
F7737GK	X1D35	3/16	3/16	3	3/8	\$2.00
F7738GK	X1D35★	1/4	1/4	4	3/4	2.00
	X1D46★		1/4	4	1/2	2.19
	X1D61★		1/4	6	134	2.40
F7741GK	X2D06★	1/2	3/8	6	31/4	3.00
F7742GK	X2D51	5/8	1/2	6	51/4	3.75
F7743GK	X3D15	3/4	1/2	6	13/4	4.75

3/16 up to 5/8 inch twelve in box. Balance three in box





STAR PATTERN

For Hand Drilling into Concrete, Stone and Brick

These four-point drills are very efficient for hand drilling holes in concrete, stone, brick and similar materials They are selfcentering, have good clearance and will not bind in the hole

High grade tool steel, hand forged and hand tempered. Can be easily re-sharpened.

			Diam.	Diam.		Wt.	
			Point.	Stock,	Length,	Box,	
Each			in.	in.	in.	lbs.	Each
F7703G	D2C8	(214)	1/4	3/16	12	11/2	\$0.45
F7706G	D2C8	(256)	5/16	5/16	12	21/2	.45
F7705G	D2C8	(238)	3/8	5/16	12	31/2	.45
F7708G	D2C8	(276)	1/4 5/16 3/8 7/16	5/16	12	31/2	.45
F7702G	D3C1★	(212)	1/2	5/16 5/16 5/16 3/8	12	5	.50
F7707G	D3C8★	(258)	5/8	7/16	12	61/2	.60
F7704G	D4C5★	(234)	5/8 3/4	1/2	12	81/2	.70
F7709G	D5C0	(278)	7/8	7/16 1/2 5/8 5/8	12	13	.75
F7701G	D5C6	(211)	1	5/8	12	13	.85
F7711G	D4C0	(812)	1/2	3/8	18	71/4	.60
F7713G	D4C7	(858)	5/8	7/16	18	91/2	.70
1			welve in	box			
F7712G	D5C5	(834)	3/4	1/6	18	61/6	.85
F7714G	D6C3	(878)	7/8	1/2 5/8	18	10	.95
F7710G	D7C0	(811)	1	11/16	18	12	1.05
			Six in be	Library Table 2015 St. 4 House			
1			THE RESERVE OF THE PARTY OF THE				

Each

F7755G

F7762G


F7763G

F7754G X1D46★

X1D61★

X3D83

X5D40



No Dust Explosion

Drills faster, cleaner and with extreme ac-

curacy. Can be used in all rotary type electric drills, hand braces and drill presses.

High grade steel. Spiral fluted. Carbide tipped.

High grade steel. Spiral fluted. Carbide tipped. Designed to eject dust and drilling dirt out of the hole in a smooth steady flow.

3/6 up to 1% inch twelve in pkg. 3/4 inch six in pkg. 11/6 to 11/6 inch four in pkg.

(1420) 5/6 1/4 4 3/4\$2.19

(1425) % 6 14 6 11/2 2.40

(1460) 14/6 1/2 6 21/2 5.73

(1465) 16/6 1/2 6 9


STAR * DENOTES BEST SELLER

MASONRY DRILLS

N. E .- CYCLO-TWISTS

Designed to drill any size hole in any masonry material. Fit any rotary drill, drill press or hand

Special steel body. Dust removing spiral flutes run from cutting edges to shank end. Carbide tipped. Double dust exits.



		,,	,				
Each			Diameter Point, ins.	Diameter Shank, ins.	Length, ins.	Weight Pkg., lbs.	Each
F7764G	X1D35						2.03
F7765G	X1D35	*	1/16	1/4	4	3/4	2.03
F7766G	X1D46	*	5/16	1/4	4	3/4	2.19
F7767G	X1D60	*	3/8	1/4	4	11/2	2.40
F7768G	X1D80		7/6	3/8	6	25/8	2.70
F7769G	X2D02	*	8/16	3/8	6	33/8	3.03
F7751G	X2D02		8/16	1/4	6	31/4	3.03

Twelve in pkg.

F7771G	X2D48	10/16	1/2	6	25/8	3.71
F7773G	X3D15	3/4	1/2	6	31/2	4.73
F7774G	X3D82	14/10	1/2	6	41/8	5.73

Six in pkg.



Cyclo-Twist

A proven sales builder. Can be used on counter or wall. Price list on back of display.

Size of display-Width 9 inches, Height 81/2 inches, Depth 134 inches.

Carbide tipped bits for drilling tile, brick, and cement.

All Shanks 1/4 inch

Contains 2 each of the following:

3/6, 1/4, 5/6, 3/8 and 1/2 inch diameter. Display Furnished (No Charge)

Per Asst. (JS55)F 7776 G X15D58

One in ctn. Wt. ctn. 2 lbs.

PRICK PUNCHES

KEEN WEEK KUTTER



Forged from highest grade tool steel. Oil tempered. Round knurled barrel. Full polished point. Length 4 inches.

(K217)

F4940GK D2C5 *

Each \$0.40

Twelve in box Wt. box 11/4 lbs.

SHAPLEIGH'S



High grade octagon tool steel, carefully tempered. A true taper the entire length of point with a slight bevel at the tip. Natural finished body. Polished point.

Size body 3/8 inch. Length 4 inches.

(SP410%)

Each \$0.40

F4976G D2C5

Twelve in box. Wt. box 13/8 lbs.

SOLID PUNCHES

SHAPLEIGHS



Forged from high quality steel. Nickel finish. Length 6 inches. Hexagon body 3/6 inch.

(DD88)

Each \$0.40

F3348G D2C7

Six in ctn. Wt. ctn. 11/2 lbs.

DRIFT PUNCHES

SHAPLEIGHS



Forged from high quality steel. Nickel finish. Length 5 inches. Hexagon body 1/2 inch.

(DD44)

Each

F3347G D2C6

Six in ctn. Wt. ctn. 3/4 lb.

\$0.39

MACHINE PUNCHES

KEEN WE KUTTER



Extra Heavy Straight Taper

Octagon hammer forged alloy steel. Red Duco finish with full polished head and bit.

Each		Size Point, in.	Size Body, in.	Length, in.	Wt. Ctn., lbs.	Each
F1249GK D3C	5 (K48M)	632	1/2	8	21/4	\$0.55
F1250GK D3C	5 (K58M)	7/12	16	8	21/4	\$0.55
F1251GK D3C	5 (K68M)	% Six in	½ ctn.	9	214	\$0.55





Extra Heavy-Straight Taper

Forged from highest grade tool steel, oil tempered. Black finish. Hexagon barrel. Polished head and point.

Six in ctn.



Pin

Forged from highest grade tool steel, oil tempered. Black finish hexagon barrel. Polished point tapers from barrel to within 3/4 inch of end. Balance of point straight.

Each F4927GK D3C2★ (K13)	S Size	Size Sody, in.	9 Length, ins.	& Weight	Fach \$0.50
F4928GK D2C7★ (K14)	5/82	3/8	6	31/4	\$0.45
F4929GK D2C7★ (K15)	1/82	3/8	6	31/4	\$0.45
F4930GK D2C7 + (K16)	3/82	3/8	6	31/4	\$0.45

Twelve in ctn.



Lining Up

Octagon hammer forged alloy steel. Red duco finish. With full polished head and bit.

Each	Siz	e Point, in.	Size Body, in.	Length,	Lgth. Taper, in.	Wt. Ctn., Ibs.	Each
F1252GK	D4C7 (KL453)	3/32	1/2	8	4	134	\$0.70
F1253GK	D5C4 (KL453)	3/16	5/8	9	6	31/2	.80
F1254GK	D6C2 (KL457)	3/16	3/4 Six in ctn.	10	7	31/2	.95



Pin

Octagon hammer forged alloy steel. Red duco finish. With full polished head and bit.

Each			Size Point, in.	Size Body, in.	Length,	Wt. Ctn., lbs.	Each	0
F4925GK	D3C4	(K11)	8/32	1/2	6	11/2	\$0.50	F
F4926GK	D3C4	(K12)	√32 Six in	1/2	6	11/2	. 50	F

STAR * DENOTES BEST SELLER

STARTER PUNCHES

SHAPLEKHS



Ledger Plate or Sickle Section

For starting rusted or frozen rivets on ledger plates or sickle sections easily and quickly. Used in connection with No. S36LP pin punches.

Alloy tool steel, properly hardened and tempered. Black finish barrel, polished taper and head.

Octagon shape barrel ½-inch diameter. Tapered section 2½ inches long to ½-inch diameter at point. (.002 inch undersize to prevent binding.) Length over all 6 inches.

Each (\$401LP) F4968G D3C2 ★ Fach \$0.50

Twelve in box. Wt. box 31/4 lbs.

PIN PUNCHES

SHAPLEIGHS



Ledger Plate or Sickle Section

Specially designed to drive rivets out of ledger plates or sickle sections.

Alloy tool steel, properly hardened and tempered. Black finish barrel, polished taper and head.

Octagon shape barrel ½-inch diameter Straight section is .002-inch less than ½-inch to prevent binding. Length over all 6 inches.

(S36LP)

F4967G D3C2 *

Each \$0.50


Twelve in box. Wt. box 3 lbs.

PIN PUNCH SETS

MAYHEW

Automobile

Highest grade tool steel. Hand forged under electric hammer. Tempered and finely polished points and head. Diameter of body ½ inch. Forged finish and knurled straight.



Consisting of four punches. Length 9 inches. One each 1/2, 1/2, 1/2/2 and 1/2/2 inch point.

Per Set F4906G XID71 (596)

*Per Set \$2.56

One set in cardboard box. Wt. box 11/8 lbs.



Consisting of four punches. Full 6 inches long. One each 1/2, 1/2, 1/2 and 1/2 inch point.

Per Set (494) APer Set F4905G X1D37 \$2.06

One set in box. Wt. box 3/4 lb.

PUNCH ASSORTMENTS

MAYHEW



Highest grade tool steel. Hand forged under electric hammers. Hardened and carefully tempered. Polished heads and taper points. Forge finish knurled barrel. Length 6 inches. Each assortment in a heavy varnished wood box with slide cover. Cover is bored to allow attractive display of all sizes. Consisting of 24 punches in a wide range of sizes and kinds as described. Complete in wood box.

Contents

- 1 Solid Punch, 1/2-inch point, 1/2-inch body.
- 1 Solid Punch, 19/2-inch point, 1/2- inch body.
- 2 Solid punches, 1/2-inch point, 1/3/2-inch body.
- 2 Solid Punches, 5/32-inch point, 13/32-inch body.
- 2 Solid Punches, 1/32-inch point, 13/32-inch body.
- 2 Center Punches, 1/2-inch body.
- 2 Center Punches, 13/32-inch body.
- 2 Prick Punches, 13/32-inch body.
- 1 Pin Punch, 1/2-inch point, 1/2-inch body.
- 1 Pin Punch, 10/32-inch point, 1/2-inch body.
- 2 Pin Punches, 1/32-inch points, 13/32-inch body.
- 2 Pin Punches, 5/32-inch point, 13/32-inch body.
- 2 Pin Punches, 1/2-inch point, 13/32-inch body.
- 2 Pin Punches, 1/32-inch point, 13/42-inch body.

(490A)

Per Asst.		▲Per Asst.
F4904G	X8D41	\$12.61

One asst. in box. Wt. box 51/4 lbs.

SELF-CENTERING PUNCHES

MAYHEW



Permits the finding of exact center of screw holes in hinges, switch plates, locks, lock strikes, etc. Place tool in screw hole and the tapered end automatically finds the center, then tap the center plunger and the hole is made so that the screw will go in straight and in dead center. Polished knurled steel barrel 2½ inches long. Steel plunger 3 inches long.

(404)

Each	▲Each
F4903G	D3C3\$0.49

Twelve in box. Wt. box. 11/2 lbs.

ELRAY



Will find the exact center of screw holes in hinges, switch plates, locks and lock strikes by placing the tool in screw holes and tapping the center plunger to start the screw in dead center.

Polished knurled steel barrel 2 inches long, ½ inch diameter. Steel pointed plunger 25% inches long.

Spring Action

	(101)	
Each		Each
F4899G	D2C8*	\$0.45

Twelve in box. Wt. box. 1 lb.

CENTER PUNCHES

KEEN KUTTER



Forged from highest grade tool steel, oil tempered. Polished head and point, round knurled barrel. Length 31/8 inches.

(K215)

Each		Each
4939GK	D2C5★	\$0.40

Twelve in box. Wt. box 11/4 lbs.

STAR * DENOTES BEST SELLER

CENTER PUNCHES

SHAPLEIGH'S



High grade octagon tool steel, carefully tempered. A true taper the entire length, with a slight bevel at the tip. Natural finished body, polished point.

Size Wt.
Body,Lgth.,Box
in. ins. lbs. Each
F4969G D2C5 (SC4153/8) 3/8 4 15/8 \$0.40
F4970G D3C0 (SC4161/2) 1/2 6 13/4 .45

No. SC4153/8, twelve in box No. SC4161/2, six in box

GENERAL



Automatic

A precision made, simply constructed, quality tool.

Adjustable for light or heavy impressions. For instantaneous single hand spotting.

Replaceable points made of special, tempered alloy steel.

Length 5 inches. Diameter 1/2-inch.

Each Each Each \$\ \times \text{Each} \text{\$\ \text{\$\ \text{\$\ \chi}\$}} \ \text{\$\ \text{\$\ \chi}\$} \ \text{\$\ \sigma \text{\$\ \chi}\$} \ \text{\$\ \sigma \text{\$\ \chi}\$} \ \text{\$\ \chi}\$ \ \

One in plastic tube, six in display box Wt. box 11/8 lbs.

LEDGER PLATE RIVET SETS

SHAPLEIGH'S



Designed for heading section rivets.

Octagon 1/8 inch alloy steel, properly hardened and tempered. Cupped end forms a nicely shaped head. Black duco finish, head and point polished.

Length 5 inches. Point 3/8 inch.

	(S403)	
Each		Each
F1227G	D4C5	\$0.70

Six in box, Wt. box 5 lbs.

NAIL SETS



KEEN AUTTER

Molybdenum alloy steel, oil tempered. Polished square heads and points. Square heads prevent rolling. Carefully cupped points eliminate breakage. Size of point stamped on side of each nail set.

Display stand

painted carmine with KEEN KUTTER trade mark. Holds two dozen KEEN KUTTER nail sets.

Assorted

Consist of two dozen assorted sizes; 1/22, 3/22, 3/22, and 1/2 inch points and display stand no charge.

Per Asst.			Per	Asst.
F1215GK	(K250)	X7D20	\$1	0.80

One asst. in box. Wt. box 31/2 lbs.

Single Sizes

Each			Size Point in.		Each
F1216GK	(K2501)	D3C0	1/32	1	\$0.45
F1217GK	(K2502)	D3C0	2/32	1	.45
F1218GK	(K2503)	D3C0	3/32	1	.45
F1219GK	(K2504)	D3C0	4/32	1	.45

Twelve in ctn.

NAIL SETS

KEEN WE KUTTER



Square Head

Hammer forged from finest crucible steel carefully tempered. Diameter of barrel 5/6 inch. Length 4 inches.

Assortment of one dozen, size of points 2/32 to 1/32 inch. (KS150)

Per Asst. Per Asst. F1220GK X2D60.... One asst. in box. Wt. box 2 lbs.

Size Wt.

Single Sizes

Each			int Box 1. lbs.	Each
F1221GK	D2C2	(KS1502) 3/2	í ₂ 1	\$0.35
F1222GK	D2C2	(KS1503) 3/	₃₂ 1	.35
	T	welve in box.		

MAYHEW NON-SLIP



This nail set is designed to prevent nail set from sliding off nail head. Can be used with dent headed nails or ordinary flat head nails. The conical point drives into the head of nail and will not slip or slide. Large square heads prevent rolling. Knurled body for a firm grip. Hammer forged from an alloy steel, hardened and tempered. Bright polished head and point.

		(433)		
Each		Size Point in.	Wt. Box, lns.	▲Each
F1207G	D2C2	3/32	7/8	\$0.33
F1208G	D2C2	3/32	7/8	.33
	Two	elve in box		

SYRACUSE NOROL



Extra quality cast steel, oil tempered. Blued head and cup point. Knurled square barrel. Length 4 inches.

One Dozen Assorted Sizes:

1/2, 3/2, 3/2 and 1/2 inch points.

4 24 24		1 1 2 1
Per Asst.		Per Asst.
F1202G	X2D00	\$3.00
One	asst, in box. Wt. box 3/4 lb.	012125

	S	traigh	Sizes		
Each	D467	(04 NI)	Size Point, in.	Wt. Box, Ibs.	Each
F1203G F1204G	D1C7	(91 N) (92 N)	1/32	1	\$0.25 .25
F1204G	D1C7	(93N)	2/32 3/32	1	.25
F1206G	D1C7	(94N)	4/32	1	.25
	5 7	Cwelve	n boy		

STEEL FIGURES AND **LETTERS**

YOUNG BROS.

High carbon steel scientifically heat treated and rust-proofed. Machine made gothic face. Clear deep impressions. Anti-mushroom head. Anti-chip.



Figures

Set consists of 1 each 0 to 8. Reverse the 6 for a 9.

Per Set			Size, in.		▲ Per Set
+YF1/16-C	ì	X1D30	1/16	1/4	\$1.95
45YF3/32-	G	X1D30	3/32	3/8	1.95
L1236G	(YF1/8)	X1D30	1/8	5/8	1.95
L1237G	(YF3/16)	X1D65	3/16	3/4	2.50
L1238G	(YF1/4)	X1D95	1/4	11/8	3.95
4YF5/16-C		X2D25	5/16	11/2	3.40
+YF3/8-G		X2D85	3/8	21/4	4.30

One set in handsome lacquered box



Letters


Set consists of A to Z and &

Per Set			Size,	Wt. Set, lbs.	▲ Per Set	
+YL1/16-G		X3D85	1/16	3/4	\$5.80	
+YL3/32-G		X3D85	3/32	1	5.80	
L1244G	(YL1/8)	X3D85	1/8	15/8	5.80	
L1245G	(YL3/16)	X4D95	3/16	21/4	7.50	
L1246G	(YL1/4)	X5D85	1/4	31/4	8.80	
+YL5/16-G		X6D65	5/16	$4\frac{1}{2}$	9.95	
+YL3/8-G		X8D55	3/8	6	12.85	

One set in handsome lacquered box

BELT PUNCHES

STANDARD



(Full size of cutters)

Tool steel. Tempered and polished point. Natural finished body. The barrel is swaged and slot is milled out.

Each		Diam. I Hole,in.	Lgth., ins.	Weight Box., lbs	. Each
		(4)			
F4887G Lots of 12	D2C87	t 1/8 t	3½	5/8	\$0.45
		(5)			
F4888G Lots of 12	D2C8 D2C6	%4	31/2	5/8	.45
		(6)			
F4889G Lots of 12	D2C8 D2C6	5/32	31/2	1	. 45
		(7)			
F4890G Lots of 12	D3C0 D2C8	3/16	3½	1	. 50
		(8)			
F4891G Lots of 12		t 1/2	31/2	1	. 50
		(9)			
F4892G Lots of 12	D3C0 7	t 1/4	3¾	11/4	. 50
		(10)			
F4893G Lots of 12	D4C07	* %2 *	4	13/8	. 55
		(12)			
F4894G Lots of 12	D4C0 7	11/82	4	11/2	. 55
	Tv	welve in	box		

TICKET PUNCHES



Nickel plated and polished stamped steel frame and knurled handles. Tempered steel plunger. Wire spring and ticket remover. I inch slot. Length over all 5 inches. Assorted shaped dies furnished in hearts, clubs, spades and diamonds.

STAR * DENOTES BEST SELLER

SPRING PUNCHES

BERNARD

Revolving-6-Tube


Bright steel frame and knurled handles. Riveted joint. Heat treated index spring. Riveted copper anvil. Removable tempered steel drive tubes. Length 8 inches. With Tube Nos. 1, 2, 3, 4, 5 and 7.

Each	(300) X1 D35★	▲ Each
F4902G	X1 D35★	\$2.00

One in box. Six boxes in ctn. Wt. ctn. 4 lbs.

The KEEN KUTTER SCREWDRIVER SILENT SALESMAN

WELL BALANCED STOCK OF NO EXTRA CHARGE FOR SILENT SALESMAN DISPLAY



SIX FLUTED RED TENITE PLASTIC HANDLES
 ROUNDED, SHOCKPROOF and UNBREAKABLE

SILENT SALESMAN DISPLAY

STURDY CONSTRUCTION OF NATURAL FINISH OAK

DESIGNED FOR COUNTER, WALL OR TABLE DISPLAY

PRICE STRIP PRINTED WITH STOCK NUMBERS

SPACE PROVIDED FOR RETAIL SELLING PRICE

SIZE:

24 INCHES LONG—103/4 INCHES HIGH— 6 INCHES WIDE

- HAMMER FORGED BLADES
- BLADES HARDENED FULL LENGTH

SCREWDRIVER ASSORTMENT No. K341

Quantity	Number	Item
4 Only	F3503GK-(K30)	Regular Stubby
4 Only	F3530GK (KP3)	Round Shank Regular Duty
4 Only	F3531GK-(KP4)	Round Shank Regular Duty
8 Only	F3532GK (KP5)	Round Shank Regular Duty
3 Only	F3533GK (KP6)	Round Shank Heavy Duty
3 Only	F3534GK-(KP8)	Round Shank Heavy Duty
2 Only	F3535GK-(KP10)	Round Shank Heavy Duty
3 Only	F3549GK-(KPS4)	Square Shank Machinist
3 Only	F3551KG-(KPS6)	Square Shank Machinist
3 Only	F3552GK-(KPS8)	Square Shank Machinist
2 Only	F3553GK-(KP\$10)	Square Shank Machinist
4 Only	F3539GK-(KPC4)	Electrical and Cabinet
4 Only	F3541GK-(KPC6)	Electrical and Cabinet
4 Only	F3542GK-(KPC8)	Electrical and Cabinet
4 Only	F3546GK -(KPP11)	Phillips Type
4 Only	F3547GK-(KPP12)	Phillips Type
4 Only	F3545GK-(KPP6)	Phillips Type

KEEN KUTTER SCREWDRIVER SILENT SALESMAN

					(4)	Dealer's Cost,	Suggested Resale,
Numbe	r	Quanti	ty	ltem		Each	Each
F3503GK	(K30)	4		Regular Stubby		\$0.50	\$0.75
F3530GK	(KP3)	4		Round Shank Regular Duty		.47	.70
F3531GK	(KP4)	4		Round Shank Regular Duty		.51	.75
F3532GK	(KP5)	8		Round Shank Regular Duty		.55	.85
F3533GK	(KP6)	3		Round Shank Heavy Duty		.65	1.00
F3534GK	(KP8)	3		Round Shank Heavy Duty		.85	1.30
F3535GK	(KP10)	2		Round Shank Heavy Duty		.95	1.45
F3549GK	(KPS4)	3		Square Shank Machinist		.65	1.00
F3551GK	(KPS6)	3		Square Shank Machinist		.80	1.20
F3552GK	(KPS8)	3		Square Shank Machinist		1 .00	1.50
F3553GK	(KPS10)	2		Square Shank Machinist		1.10	1.65
F3539GK	(KPC4)	4		Electrical and Cabinet		.42	.65
F3541GK	(KPC6)	4		Electrical and Cabinet		.50	.75
F3542GK	(KPC8)	4		Electrical and Cabinet		.60	.90
F3546GK	(KPP11)	4		Phillips Type		.45	.70
F3547GK	(KPP12)	4		Phillips Type		.55	.85
F3545GK	(KPP6)	4		Phillips Type		.53	.80
		1 Only	KEEN	KUITER Silent Salesman Display.			No Charge
			0	Total Deal	er Co	st	\$38.90
				Suggested Reta	il Val	ue	58.40

Per Assortment

FX-K341-GK X38D90*

One asst. and display in ctn. Wt. ctn. 22 lbs.

STAR * DENOTES BEST SELLER

MERCHANDISE MANAGER'S SPECIAL PROMOTION

SCREW DRIVERS

KEEN KUTTER

Hardwood Handles

Highest grade forged tool steel tempered blade.

Polished round shank, passes through handle and is headed at end. Mahagany enamel finish hardwood fluted handle.



Regular

Round Shank

					Lgth.		
			Lgth.	Width	Over All,	Wgt.	
		В	lade	Bit,	Ins.	Box,	
Each			Ins.	In.		Lbs.	Each
F3507GK	D4C0	(K50/3)	3	7/32	8	7/8	\$0.60
F3508GK	D4C8	(K50/4)	4	1/4	9	11/4	.75
F3509GK	D5C0	(K50/5)	5	5/16	101/2	2 1/8.	.75
F3510GK	D5C7	(K50/6)	6	5/16	11%	21/2	.85
F3511GK	D7C0	(K50/8)	8	3/8	15	3%	1.05
F3512GK	D7C8	(K50/10) 10	3/8	161/4	41/2	1.20

Six In Carton

REED AND PRINCE



For Reed and Prince Recessed Head Screws

Blade of high grade alloy steel. The ferrules are made from cold rolled steel and the shank of the driver is pinched or eared so as to assure proper assembly and eliminates possibility of the blade turning in handle. Fluted white birch handles are natural finish with lacquer coating.

Each			Lgth. Blade, ins.	Lgth. Blade, ins.	Wt. Box, lbs.	Each
F3672G	D2C8	(700)	3	3/16	1/2	\$0.45
F3673G	D2C8	(710)	4	1/4	5/8	.45
F3674G	D3C5	(715)	6	5/16	2	.55
F3675G	D4C9	(720)	8	3/8	31/2	.75
			Six in hor	v		

FLUTED WOOD HANDLES

Extra quality, polished steel blades. Tempered bit, round shank, polished drawn steel ferrule. Blade tempered tool steel. Wings on blade prevent turning in handle.



		Lgth.	Lgth. Over All	Diam.	Wgt. Box.	
Each				In.	Lbs.	Each
		Ins.	Ins.	in.	Los.	Lach
F3585G D3C3		3	6 7/8	7/32	3/4	\$0,50
F3586G D3C6		4	9 1/8	1/4	1 3/8	.55
F3587G D4C0	(SR5)	5	101/4	9/32	1 5/8	.60
F3588G D4C4	(SR6)	6	11 1/8	9/32	13/4	.65
F3589G D5C2	(SR8)	8	14	5/16	23/4	.78
F3590G D6C0	(SR10)	10	16	3/8	31/2	.89

Six In Box

SHAPLEIGHS



Phillips Type

Forged steel blade, tempered and polished. Blue plastic fluted handles.

No. 2 point. Length of blade 4 inches. Over all length 71/4 inches.

Each	(L5) Eacl:
F3319G	D5C3\$0.79
	Four in ctn. Wt. ctn. 1 lb.

SCREW DRIVER TOOL SETS

FULLER

Seven-In-One

A complete tool kit for all good mechanics.

Interchangeable blades of oil hardened tempered steel with accurate ground tips. Unbreakable amber handles. Chuck to fit seven sizes of blades.

Heavy plastic roll kit with tie strings.


Consits of one each blade as follows: Recessed point No. 1 for cross cut screws No. 4

or smaller.

Recessed point No. 2 for cross cut screws No. 4 to 10.

Midget blade for regular small screws. Cabinet blade for electrical work. All purpose blade. Wood chisel blade, ½-inch. Scratch awl blade.

	Set of 7 Tools		
Per Set	(71)	Per	Set
F3629G	X1D00★	\$1	.50
	Six sets in box. Wt. box 31/2 lbs.		





Four-in-One Combination

Hi-carbon cadmium steel blades. Heavy aluminum knurled chuck takes all blades. Two-tone unbreakable amber handle, holds blade,

Consists of one each blades—No. 2 recessed for cross head screws, 1/3 inch diameter for fine work, 3/6 inch diameter for electrical and cabinet work and 1/4 inch for regular work.


One on attractive card.

Each

\$0.98

(40)

Each F3626G D6C7



Screw Holder

Spring clip holds and sets screws tightly. For spots hard to reach. Holds screw to driver. High carbon cadmium steel blades. Shock-proof amber handles with blisterproof dome.

Set of six mounted on attractive display card as follows:

0	SALEYE,	Size	
Quan- tity	No.	Blade in.	Retail Each
1	F3695G-411	3½x½	\$0.30
2	F3696G-412	4x3/16	.45
2	F3697G-413	6x3/16	.50
1	F3698G-414	8x2/16	.55


Set of Six (410)

Per Set Per Set \$\frac{\text{Per Set}}{\$5694G}\$ X1D83 \$\frac{\text{\$\sigma 2.75}}{\$\$0ne set on card in box. Wt. box 1 lb.}

OPEN STOCK

Each			Blade in.	Each
F3695G	D2 D0	(411)	31/2x1/4	.30
F3696G	D3D0	(412)	4x8/16	.45
F3697G	D3D3	(413)	6x3/6	.50
F3698G	D3D7	(414)	8x3/6	. 55

SCREW DRIVERS



Tough shock proof amber handle. Hardened tempered tool steel blades. Assortment of 24 screw drivers on attractive display card.

Quan-	Li	st price.	Retail
tity	Nos.	Each	
6	F3676G-801SS-23/8 in	\$0.15	\$0.90
6	F3495G-810SS-414 in	.25	1.50
6	F3677G-802SS-4 in	.35	2.10
6	F3696G-829SS-6 in	.50	3.00
			\$7 50

(X877)

	(,	
Per Asst		Per Asst.
F3600G	X5D00★	\$7.50
	One asst. in box. Wt. box	4 lbs.

OPEN STOCK

Each		Lgth., Diam., Blade, Blade, ins. ins.		Each
F3676G	D1C0	(8015S) 23/8 (8025S) 1/8	3	\$0.15
F3677G	D2C3	(8025S) 4 1/4	2	.35
F3495G	D1C7	(810SS) 41/4 (829SS)	1	.25
F3692G	D3C0	6 14	21/2	.45

No. 801 twenty-four, other Nos. twelve in box



Double Duty—Reversible
A perfect driver for all mechanics. Change

from regular to recess driver in a jiffy.
Oil tempered high carbon steel blade with regular full ground bit on one end and cross cut tip to take Phillips recessed head screws on the other. Extra large fire-safe unbreakable amber handle. Strong chuck.

Length over all 634 inches.

For Wgt.
Phillips Box,
Each Size Screws, Nos. Ibs. Each
F3646G D5C3 (224) 14 or smaller 1½ \$0.79

One mounted on card. Six in box

SHAPLEIGH'S



"Amberlite" Composition Handle

Twelve "Amberlite" composition handle screw drivers mounted on an attractive red and black display card.

Handles are of a two tone amber and black transparent cellulose material; virtually unbreakable and shock proof. Will not soak up oil or water.

Blades forged from tool steel, full tempered and polished; embedded in handle; cannot loosen.

Contents:

Qty.	No.	Size, ins.	Туре	Retail Each	Retail Value
2 Only	S500	11/4	Stubby	\$0.55	\$1.10
2 Only	S401	31/2	Pocket	.25	. 50
2 Only	S402	41/4	Cabinet	. 40	.80
2 Only	S501	4	Mechanics	. 50	1.00
2 Only	S502	5	Mechanics	.55	1.10
2 Only	S504	6	Heavy Duty	.90	1.80
12	Total I	Retail	Value		.\$6.30

(\$38)

Per Asst. F3566G X4D20★

One asst. in box. Wt. box 3 lbs.


OPEN STOCK

Of EN STOCK						
Each			Type	Length, ins	Wt. Box lbs.	Each
F3568G	D3C0	(\$402)	Cabinet	41/4	18/8	40
F3570G	D3C5	(\$501)	Mechanic	4	11/2	. 50
F3572G	D6C0	(S504)	Heavy Duty	в	3	.85

No. S401 twelve in box All others six in box.

SCREW DRIVERS

HANDY



Tool steel blade. Hardened, tempered and polished. Amber unbreakable shockproof corrugated handle with steel nickel plated pocket clip.


Length of blade 21/2 inches. Diameter 1/8 inch. Length over all 4 inches.

Twenty-four mounted on an attractive counter display card 111/2x151/2 inches.

	(1400C/24)	
Per Card		Each
F3715G	X1D20★	\$0.10

One card in box. Wt. box 13/4 lbs.

FULLER



Short or Plug

Designed for cramped quarters where considerable twisting power is needed.

Tempered steel blade, bright finish, firmly embedded in handle and will not turn or pull out. Transparent amber color, unbreakable corrugated handle.

Length of blade 11/4 inches, handle 11/8 inches, over all 31/2 inches.

Each		Each
F3678G	(803)	D2C8★\$0.45

Thirty-six in box. Wt. box 3 lbs.



GENERAL **Jewelers**

In Plastic Container


Consists of one No. 600 Jeweler's screwdriver body and five replaceable screwdriver blades. Sizes 0, 1, 2, 3 and 4.

	(605/S)	
Per Set		Per Ser
F3671G	X1D00	\$1.50
· ·		

Six sets on display card Wt. card 3/4 lb.

HOLD-E-ZEE

Blades are chromium vanadium steel, hexagon in shape, tempered the entire length for toughness and springiness. Hand ground bits. Patented spring action gripper instantly holds, starts and sets up any size screw in unhandy places. Special spring steel fingers hold tightly with instant release. Gripper automatically slides out of the way, giving full use as a regular screw driver. Unbreakable handle is transparent amber material, giving perfect insulation. Hexagon shape makes for sure grip with greasy or sweaty hands. Assortment contains 17 only screw drivers, 7 of which are mounted on attractive easel display



Contents:

Quantity Nos.	Length Blade, inches	Length Over A inches	Shank Diamet inches	Each
1 F3593G (TH6) 3 F3598G (TS4) 3 F3599G (TS7) 3 F3595G (R2) 3 F3595G (TR4) 3 F3596G (TR6) 1 F3597G (TR8)	6 4 7 2 4 6 8	10 8 ¹ / ₄ 11 ¹ / ₄ 4 ¹ / ₈ 7 ¹ / ₄ 9 ⁵ / ₈ 11 ⁵ / ₈	5/16 7/32 7/32 5/32 5/32 5/32 5/32 5/32	1.50 .90 .95 .50 .80 .85
	D17)			
Per Asst. F3497G X9D60★			▲ Per\$	Asst. 14.40


One asst. in ctn. Wt. ctn. 31/2 lbs.

REFILLS

Each				Weight Box, lbs	. Each
F3593G	X1D00	(TH6)	6	11/4	\$1.50
F3594G	X1D07	(TH8)	8	3	1.60
F3598G	D6C0★	(TS4)	4	11/2	.90
F3599G	D6C3★	(TS7)	7	11/8	.95
F3565G	D3C3★	(R2)	2	5/8	. 50
F3595G	D5C3★	(TR4)	4	3/4	.80
F3596G	D5C7★	(TR6)	6	1	. 85
F3597G	D6C0	(TR8)	8	1/2	. 90
	Table				

Six in box, except No. R2, which is twelve

BRIDGEPORT



Cushion Grip

Tested and acclaimed by electricians, automotive and industrial mechanics-check these features:

 Non-slip grip.
 Oil and water resistant neoprene rubber covered plastic handle.

3. Bolster blade, winged shank.

Finest alloy steel, beautifully finished.

5. Precision cross-ground point.

Hammer-proof.

7. Shock-proof. Permanent colorful merchandiser display

11x14x4 in. Displays one each of 4 basic types-Round mechanics, Electricians, Square mechanics and Super hard Phillips.

Sizes listed on display board.

24 Screw Drivers


		-	Dolon Dillors	
			Consists of:	
		Size	Type	
Qty.	No.	in.	Screwdriver	Each
4	2143	4	Mechanics Round Blade	\$1.25
3	2143	6	Mechanics Round Blade	1.50
1	2143	8	Mechanics Round Blade	1.50
3	2243	3	Electricians	1.00
3	2243	6	Electricians	1.05
3	2343	4	Mechanics Square Blade	1.40
2	2343	6	Mechanics Square Blade	1.80
1	2343	8	Mechanics Square Blade	1.80
2	2501	3	Phillips No. 1 Point	1.00
2	2502	4	Phillips No. 2 Point	1.30
		Displa	ay Board FREE	
Per A	ssortn	ent	Per Assor	tment
FX-2	700-G	X2	1 D44	132 15

REFILLS

For FX-2700-G Screw Driver Asst

r or r	V-7100-	G SCIEW D	LIACI WOOL	
		Size,	Wt. Box	
Each		in.	lbs.	Each
N	lechanie	s-Round	Blade	
F-3610-G	D8C3	(2143/4) 4	11/2	\$1.25
F-3611-G	X1 D00	(2143/6) 6		1.50
F-3612-G	X1D27	(2143/8) 8	31/2	1.99
	EI	ectricians		
F-3613-G	D6C7	(2243/3) 3	1	1.00
F-3614-G	D7C0	(2243/6) 6	13/4	1.05
N	lechanie	s Square	Blade	
F-3615-G	D9C3	(2343/4) 4	134	1.40
F-3616-G	X1D20	(2343/6) 6	23/4	1.80
F-3617-G	X1D47	(2343/8) 8	4	2.20
Supe	er Hard	Phillips No	. 1 Point	
F-3618-G	D6C7	(2501/3) 3	1	1.00
Supe	er Hard	Phillips No	. 2 Point	
F-3619-G	D8C7	(2502/4)4	4	1.30
	5	six in box.		

STAR * DENOTES BEST SELLER



SCREW DRIVER ASSORTMENTS

FULLER

Golden Hundred

Carded, priced and color coded. High carbon steel, oil tempered and hardened, cadmium blades. Blister-proof domes, amber handles.

100 Top-Selling Screw Drivers for Every Job

Heavy metal hang-up rack 1934x28 in. with versatile display features Use on $\frac{1}{4}$ in. peg board (2 hangers supplied free.)

Will fit all store columns, Hang on wall near cash register for impulse sales. Will hinge over regular shelves (2 screw eyes supplied free).

Assortment Contains:

Free Display Stand & 4 Each of 25 Items Listed Below Under Open Stock

Per Asst.		▲ Per Asst.
FX-100SS-G	X34D80	\$54.96

One asst. in ctn. Wt. ctn. 22 lbs.


Size Blade No. in Wt. Ctn.

OPEN STOCK For Screw Driver Assortment FX-100SS-G

P. L			Tues	in	NO. III	lbs.	Each
Each F3664G	(504SS)	D6C3+	Type Heavy Duty Keystone Tip	6x5/16	ctn.	2	\$1.00
F3704G	(403SS)	D3C2		6x ³ / ₁₆	12	11/2	.50
F3663G	(502SS)	D4C1 *	A CONTROL OF THE CONT	5x1/4	12	21/4	.65
F3662G	(501SS)	D3C5		-	12	2	.55
F3654G	(402SS)	D2C8	100 CO BOAR	continue.	12	13/8	.45
F3661G	(500SS)	D4C1 *			12	11/2	.65
F3682G	(80955)	D4C4			12	11/2	.70
F3680G	(807SS)	D4C4*		3x3/16	12	11/4	.70
F3681G	(808SS)	D4C7*	Point No. 2 Recessed, Fits No. 4 to No. 10 Screws	4x1/4	12	21/4	.75
F3653G	(401SS)	D1C6★	Pocket with clip, Parallel Tip.	3½x½	12	1/2	.25
F3702G	(904SS)	D4C1	Square Shank	4x3/16	12	13/8	.65
F3703G	(905SS)	D5C1	Square Shank	5x1/4	12	21/4	.80
F3678G	(803SS)	D2C8	Stubby Keystone Tip	11/4×1/4	12	2	.45
F3676G	(801SS)	D1C2	Pocket with clip	23/8x1/8	24	1	.19
F3495G	(810SS)	D1C9 *	Cabinet Parallel Tip	4x3/16	12	1	.30
F3677G	(802SS)	D2C5	All Purpose Keystone Tip	4x1/4	12	2	.40
F3701G	(802ESS)	D2C5	Electrician Parallel Tip	6x3/16	12	2	.40
F3692G	(829SS)	D3C5★	Mechanic Kcystone Tip	6x1/4	12	$2\frac{1}{2}$.55
F3685G	(830SS)	D5C4	Heavy Duty Keystone Tip	6x5/16	6	2	.85
			Amber Coated Hammer-Proof Handles				
F3688G	(707SS)	D3C2	Mechanics	6x1/4	12	2	.50
F3686G	(703SS)	D2C5	Electrician	5x3/16	12	11/2	.40
F3687G	(706SS)	D2C8	Mechanics	4x1/4	12	13/4	.45
F3690G	(728SS)	D3C5	Point No. 2 Recessed	4x1/4	12	2	.45
F3689G	(727SS)	D3C2	Point No. 1 Recessed	3x ³ / ₁₆	12	11/4	.50
F3691G	(729SS)	D3C5	Stub Point No. 2 Recessed	1½x¼	12	11/2	.55

PANEL #1

(Left to right and top to bottom)



No.	Description	Packing	Weight	Retail Each	Dealer's Cost Each
	Screwdrivers				
801	Pocket	6 ea.	1/4 lb.	\$.19	\$.12
803	Stubby	6 ea.	1 lb.	.45	.28
810	Cabinet	6 ea.	½ lb.	.30	.19
490	Tack Puller	6 ea.	1 lb.	.49	.31
985	Scratch Awl	6 ea.	3/4 lb.	.35	.22
	Screwdrivers				
802	All Purpose	6 ea.	1 lb.	.40	.25
802E	Electrician	6 ea.	1 lb.	.40	.25
829	Mechanic	6 ea.	11/4 lbs.	.55	.35
830	Heavy Duty	6 ea.	2 lbs.	.85	.54
707	Mechanic	6 ea.	1 lb.	.50	.32
706	Mechanic	6 ea.	7/8 lb.	.45	.28
728	#2 Rec.	6 ea.	1 lb.	.55	.35
727	#1 Rec.	6 ea.	3/4 lb.	.50	.32
729	#2 Rec. Stub	6 ea.	3/4 lb.	.55	.35

PANEL #2

(Left to right and top to bottom)



No.	Description	Packing	Weight	Retail Each	Dealer's Cost Each
70	Engineers	4 ea.	13/4 lbs.	\$1.19	\$.75
74	Long Nose	4 ea.	1 ib.	1.19	.75
64	Nippers	4 ea.	13/4 lbs.	1.19	.75
192-51/2"	Long Nose	2 ea.	½ lb.	1.98	1.25
192-61/2"	Long Nose	2 ea.	5/8 lb.	1.98	1.25
190-5"	Diag. Cutter	2 ea.	3/4 lb.	1.98	1.25
190-6"	Diag. Cutter	2 ea.	1 lb.	1.98	1.25
194-8"	Lineman's	2 ea.	1½ lbs.	2.30	1.39
194-7"	Lineman's	2 ea.	11/4 lbs.	2.20	1.46
184	Insulated Long Nose	6 ea.	4½ lbs.	2.20	1.39


MR. HARDWARE DEALER: FULLER TOOLS GIVE YOU 58% MARK-UP

Dotail Dealer's

PANEL #3

SCREWDRIVERS

(Left to right and top to bottom)




No.	Description	Packing	Weight	Retail Each	Cost Each
401	Pocket	6 ea.	1/4 lb.	\$.25	\$.16
501	Mechanics	6 ea.	1 lb.	.55	.35
807	#1 Rec.	6 ea.	3/4 lb.	.70	.44
456	#1 Rec. RG	6 ea.	1 lb.	.85	.54
452	RG Cabinet	6 ea.	1 lb.	.70	.44
402	Cabinet	6 ea.	3/4 lb.	.45	.28
500	Stubby	6 ea.	3/4 lb.	.65	.41
809	#2 Rec. Stubby	6 ea.	3/4 lb.	.70	.44
457	#2 Rec. RG	6 ea.	11/4 lbs.	.95	.60
454	RG Mechanics	6 ea.	11/4 lbs.	.80	.51
504	Heavy Duty	6 ea.	2 lbs.	1.00	.63
502	Mechanics	6 ea.	11/4 lbs.	.65	.41
808	#2 Rec.	6 ea.	11/4 lbs.	.75	.47
459	RG Heavy Duty	6 ea.	21/4 lbs.	1.15	.73
453	RG Electricians	6 ea.	11/4 lbs.	.75	.47

PANEL

CHISELS FILES

(Left to right and top to bottom)



No.	Description	Packing.	Weight	Retail Each	Dealer Cost Each
840	½" Chisel	6 ea.	1 1/4 lbs.	\$.70	\$.44
841	3/4" Chisel	6 ea.	1 1/2 lbs.	.70	.44
842	1" Chisel	6 ea.	13/4 lbs.	.70	.44
	Files				
155-6"	Round	6 ea.	3/4 lb.	.45	.28
151-6"	Mill Bastard	6 ea.	11/4 lbs.	.45	.28
158-6"	X Slim Taper	6 ea.	3/4 lb.	.45	.28
159-7"	XX Slim Taper	6 ea.	3/4 lb.	.50	.32
155-8"	Round	6 ea.	11/4 lbs.	.55	.35
151-10"	Mill Bastard	6 ea.	31/2 lbs.	.70	.44
151-8"	Mill Bastard	6 ea.	2 lbs.	.55	.35
160-8"	½" Round Bastard	6 ea.	2½ lbs.	.95	.60


Made in U.S., England, Portugal, Italy to rigid Fuller specifications. Branded and guaranteed by Fuller Tool Co., Inc., U.S.A.



FULLER TOOL COMPANY, INC.

the most modern display merchandiser in the hardware trade! ER'S NEW SELF-SERVICE

for fast sales...big profits



* Screwdrivers, Pliers, Files, Chisels, etc.

FULLY GUARANTEED!

- * Service policy with automatic inventory control!
- ★ Visual stock control picture under every peg!
- ★ Carded and pre-priced!

TOOL-A-MAT

Assortment #

consisting of 2 cartons (1 with tools, 1 with rack) weight 40 lbs.

it revolves!

TOTAL RETAIL LIST DEALER'S COST ACTUAL PROFI Automatic Display Rack

A WAR CORRE

Tool-A-Mat

Assortment #1 is only 60" high

and occupies

just 15" x 15"

of space

AND SO LATE

BUT I HAVE NO MORE ROOM!

MR. HARDWARE ALL STANDARD GIVE YOU 58

- VISUAL STOCK
- SERVICE POLICE
- **AUTOMATIC IN**

What they m

Your jobber salesman the Policy guaranteeing to they are sold and keep y times. Thus, your inventor

MR. DEALER

OPEN STOCK REFILLS ON REVERSE SIDE ... World's largest producers of unbreakable amber handle tools

BERNZ O MATIC

1959 FALL FESTIVAL OF PROFITS

* choose now! from any one of these THREE assortments!

Fall Festival Pak TX-8250

2-TX-10 • 2-TX-888 • 2-TX-25

TORCH KITS

plus FREE!

2 Bernz-O-Matic Fuel Cylinders

Shipping Weight 29 lbs.



BERNI () MAILE TO CO.	10
7 P. 125	BERNZ () MATIE TONCE ATT
9 3 3 3 5 5	
TV as	
TX-25	
TX-888	

DEALER COST	\$3450
RETAIL VALUE	5544
DEALER PROFIT	2094

Fall Festival Pak TX-8360

6-TX-888 TORCH KITS

plus FREE!

2 Bernz-O-Matic Fuel Cylinders

Shipping Weight 27 lbs.





DEALER \$3570
RETAIL VALUE 5716

DEALER PROFIT 2146

Fall Festival Pak TX-9470

6-TX-25 TORCH KITS

each with all-purpose metal carrying case

plus FREE!

2 Bernz-O-Matic Fuel Cylinders

Shipping Weight 37 lbs.





DEALER COST	\$3990
RETAIL VALUE	6358
DFALER	REAL STATE

PROFIT

2368

Watch for the Biggest Traffic Building Promotion in Bernz History!

- * big \$50,000 national consumer contest drawing
- * entry blanks available only at retail hardware stores
- * big dealer contest.
- ★ terrific national advertising program ★ dealer aids

TOOL KITS

FULLER

Each Set in Strong, See-Thru Vinyl Tool Pouch

DISPLAY ASSORTMENT



Three each of the eight Fuller Tool kits (Nos. 80, 81, 82, 83, 84, 85, 86 and 87) shown on this page. Entire assortment packed in a colorful counter display carton.

Per Asst.			Per	Asst.
FX-88A-G	X14D08			321.12
One	asst. in ctn.	Wt. ctn.	10 lbs.	

FIVE-PIECE KNIFE-SAW SET



Includes large pistol grip handle, two razor sharp knife blades, 18-tooth saw blade and 24-tooth saw blade.

Each		Each
F1603G	(80)	D5C9\$0.88
	Six in	ctn. Wt. ctn. 21/2 lbs.

TWO-PIECE FILE SET



Eac F16 Includes 10½ inch rotary mower file and 7-inch taper saw fife.

TWO-PIECE SCREWDRIVER SET Jumbo Extra Heavy Duty



Includes 8 inch and 6 inch tempered steel blade screwdrivers with unbreakable amber handles.

Each F1605G			Each\$0.88
		ctn. 4 lbs.	

SIX-PIECE HAMMER-SCREWDRIVER SET



Includes Sure-Grip plastic handle, strong chuck, handy tack hammer, midget screwdriver blade, tack puller, regular screwdriver blade, and screw starter.

Each			Each
F1606G			\$0.88
	Six	in etn. Wt.	ctn. 2 lbs.

TWO-PIECE CHISEL SET



Includes ½ and 1-inch cut extra sharp tempered steel chisels with hammerproof handles.

COMBINATION PLIER



Drop-forged tempered steel side cutter pliers.

Cach 1609G	(85)	D5C9 Each \$0.88
		ctn. Wt. etn. 21/4 lbs.

SIX-PIECE SCREWDRIVER SET All-Purpose Household



Includes one each of six sizes of tempered steel blade screwdrivers with unbreakable amber handles.

Each	(00)	DECO Kach
1001G	(00)	D5C980.88
	Six in	ctn. Wt. ctm. 21/4 lbs

FIVE-IN-ONE TOOL SET

All Purpose Screw Driver Bits



Includes unbreakable amber handle, strong chuck, one each of three sizes of slotted screwdriver bits, oncrecessed head screw driver bit and screw starter.

ch		Each	Each	Each Each		Each
604G	(81)	D5C9\$0.88	F1608G (84)	D5C9\$0.88 F1610G	(87)	D5C9

TOOL ASSORTMENT

TOOL-A-MAT

Packed in two ctns. Wt. 40 lbs.

TOOL KITS

FULLER

Each Set in Strong, See-Thru Vinyl Tool Pouch

DISPLAY ASSORTMENT



Three each of the eight Fuller Tool kits (Nos. 80, 81, 82, 83, 84, 85, 86 and 87) shown on this page. Entire assortment packed in a colorful counter display carton.

Per Asst.		Per Asst.
FX-88A-G	X14D08	\$21.12
One	asst, in ctn. Wt. c	tn. 10 lbs.

FIVE-PIECE KNIFE-SAW SET



Includes large pistol grip handle, two razor sharp knife blades, 18-tooth saw blade and 24-tooth saw blade.

Each		Each
F1603G	(80)	D5C9\$0.88
	Six in	ctn. Wt. ctn. 2½ lbs.

TWO-PIECE FILE SET



F1604G (81) D5C9.....

Includes 10½ inch rotary mower file and 7-inch taper saw file.

TWO-PIECE SCREWDRIVER SET Jumbo Extra Heavy Duty



Includes 8 iach and 6 inch tempered steel 11 de screwdrivers with un' reakal le amber handles.

SIX-PIECE HAMMER-SCREWDRIVER SET




Includes Sure-Grip plastic handle, strong chuck, handy t ck hammer, midget screwdriver lade, tack puller, regular screwdriver blade, and screw starter.

Each			Each
F1606G	(83)	D5C9	\$0.88
	Six	in ctn. Wt.	ctn. 2 lbs.

TWO-PIECE CHISEL SET

D5C9.



Each

Each

\$0.88 F1608G (84)

Includes ½ and 1-inch cut extra sharp tempered steel chisels with hammerproof handles.

Each

\$0.88

COMBINATION PLIER



Drop-forged tempered steel side cutter pliers.

Each	(05)	Each
F1609G	(85)	D5C9\$0.88
	Six in	ctn. Wt. ctn. 21/4 lbs.

SIX-PIECE SCREWDRIVER SET

All-Purpose Household



Inc'udes one each of six sizes of tem ered steel 11 de screwdrivers with unbreakal le amber handles.

Each		Each
F1607G	(86)	D5C9 \$0.88
	Six in	ctn. Wt. ctn. 21/4 lbs.


FIVE-IN-ONE TOOL SET

All Purpose Screw Driver Bits



Includes untreakable amber handle, strong chuck, one each of three sizes of slotted screwdriver bits, one recessed head screw driver bit and screw starter.

Each		Each
	(87)	D5C9\$0.88
riolog	(01)	D000



SCREW DRIVER ASSORTMENTS

FUI LER

Golden Hundred

Carded, priced and color coded. High carbon steel, oil tempered and hardened, cadmium blades. Blister-proof domes, amber handles.

100 Top-Selling Screw Drivers for Every Job

Heavy metal hang-up rack 1934x28 in, with versatile display features. Use on 14 in, peg board (2 hangers supplied free.)

Will fit all store columns. Hang on wall near cash register for impulse sales. Will hinge over regular shelves (2 screw eyes supplied free).

Assortment Contains: 4 Each of Fuller's 25 Best Selling Numbers Includes 24 Phillips-Type Screw Drivers

	Includes 24	Phillips	- Type Screw Drivers	
	Type	Each	Type	Each
F3364G-504SS F3704G-403SS F3663G-502SS F3662G-501SS F3654G-402SS F3661G-500SS	Mechanic Keystone Tip Cabinet Parallel Tip	\$0.90 .45 .55 .50 .40	EDETEC DOLCC II to MI	35 .25 .35 .50 .75
F3682G-809SS	Stub Point No. 2 Recessed Fit No. 4 to No. 10 Screw.	.60	Amber Coated Hammer-Proof Handles	3
F3680G-807SS	Points No. 1 Recessed Fits No. 4 or smaller screws	.60	F3688G-707SS Mechanics. F3686G-703SS Electrician.	.45
F3681G-808SS	Point No. 2 Recessed Fits No. 4 to No. 10 Screw.	.65	F3690G-728SS Point No. 2 Recessed	.40
F3653G-401SS F3702G-904SS	Pocket with Clip Parallel Tip Square Shank	.25	F3689G-727SS Point No. 1 Recessed F3691G-729SS Stub Point No. 2 Recessed	.40
F3703G-905SS F3678G-803SS	Square Shank	.75	Heavy metal Stand-up or Hang-up Display	,
Christian Madrian Carlos	Stabby Reystone 11p	.40	\$10.00 ValueNO CHAR	
Per Asst. FX-100SS-G	X32 D13One asst.	in ctn.	▲ Per A Wt. ctn, 22 lbs	Asst. 8.20

OPEN STOCK

Each	es (140 Para Maria 177	Туре	For Screw Driver Assortment FX-100SS-G	Size Blade in .	No. in ctn.	Wt. Ctn. Ibs.	Each
F3664G	D6C0	(50455)	Heavy Duty Keystone Tip	. 6x5/16	6	2	\$0.90
F3704G	D3C0	(403SS)	Cabinet Parallel Tip	. 6x3/16	12	11/2	.45
F3663G	D3C7+	(50255)	Mechanic Keystone Tip	. 5x1/4	12	21/4	.55
F3662G	D3C3	(501SS)	Mechanic Keystone Tip	. 4x1/4	12	2	. 50
F3654G	D2C7	(402SS)	Cabinet Parallel Tip	. 4x3/6	12	13/8	.40
F3661G	D3C3+	(500SS)	Stubby Keystone Tip	. 11/4×1/4	12	11/2	.50
8 2 F80526	D4COA	(80955)	Stub Point No. 2 Recessed, Fits No. 4 to No. 10 Screws	. 1½x¼	12	11/2	.60
GF3680G	D4C0	(807SS)	Point No. 1 Recessed, Fits No. 4 or smaller Screws	3x3/6	12	11/4	.60
F3681G	D4C4	(808SS)	Point No. 2 Recessed, Fits No. 4 to No. 10 Screws	4x1/4	12	21/4	.65
F3653G	D1C7+	(401SS)	Pocket with clip, Parallel Tip	3½x1/8	12	1/2	.25
F3702G	D4C0	(904SS)	Square Shank	4x3/16	12	13/8	.60
F3703G	D5C0	(905SS)	Square Shank	5x1/4	12	21/4	.75
F3678G	D2C7	(803SS)	Stubby Keystone Tip	11/4×1/4	12	2	.40
F3676G	D1C0+	(801SS)	Pocket with clip	23/8×1/8	24	1	.15
F3495G	D107#	(81055)	Cabinet Parallel Tip	4x3/16	12	1	.25
F3677G	D2C3	(80255)	All Purpose Keystone Tip	4x1/4	12	2	.35
F3701G	D2C4	(802ESS) Electrician Parallel Tip	6x3/6	12	2	.35
F3692G	D3C0★	(829SS)	Mechanic Keystone Tip	6x 1/4	12	21/2	.50
F3685G	D5C0	(830\$\$)	Heavy Duty Keystone Tip	6x5/16	6	2	.75
			Amber Coated Hammer-Proof Handles				
F3688G	D3C0	(707SS)	Mechanics	·6x3/4	12	2	.45
F3686G	D2C4	(703SS)	Electrician	5x3/16	12	11/2	.35
F3687G	D2C7	(706SS)	Mechanics	4x 1/4	12	134	.40
F3690G	D3C0	(728SS)	Point No. 2 Recessed	4x1/4	12	2	.45
F3689G	D2C7	(727SS)	Point No. 1 Recessed	3x3/6	12	11/4	40
F3691G	D3C0	(729SS)	Stub Point No. 2 Recessed	11/2x1/4	12	11/2	.45



Four-in-One Combination

Hi-carbon cadmium steel blades, aluminum knurled chuck takes all blades. tone unbreakable amber handle, holds blade.


Consists of one each blades—No. 2 recessed

for cross head screws, 1/8 inch diameter for fine work, 1/6 inch diameter for electrical and cabinet work and 1/4 inch for regular work.
One on attractive card.

(40)

Each		Each
F3626G	D6C7★	\$0.98
-		STATE OF THE PARTY

Six cards in box. Wt box 11/2 lbs.



Screw Holder

Spring clip holds and sets screws tightly. For spots hard to reach. Holds screw to driver. High carbon cadmium steel blades. Shock-

proof amber handles with blisterproof dome. Set of six mounted on attractive display card as follows:

Quan-		Size Blade	Retail
tity	No.	in.	Each
1	F3695G-411	3½x1/8	\$0.30
2	F3696G-412	4x3/16	.45
2	F3697G-413	6x3/16	.50
1	F3698G-414	8x3/16	. 55
	Set of	Six	


Per Set			P	er Set
F3694G	X1 D83			\$2.75
One	set on card i	n hox.	Wt. box 1 Il	

OPEN STOCK

Each			Blade in.	Each
F3695G	D2D0	(411)	31/2x1/8	.30
F3696G		(412)	4x3/16	.45
F3697G		(413)	6x3/16	. 50
F3698G	D3D7	(414)	8x3/6	. 55
F3699G	D4D0	(420)	No. 1-4x3/6	. 66
		Tooms by	(Phillips	Type)

Six in box.

SCREW DRIVERS



Tough shock proof amber handle. Hardened tempered tool steel blades. Assortment of 24 screw drivers on attractive display card.

Quan- tity 6	Nos. F3676G-801SS23/8 in.,	Each	Retail Value \$0.90
6	F3495G-810SS—4 14 in F3677G-802SS—4 in		1.50
6	F3696G-829SS—6 in		3.00
			\$7.50
	(X877)		

Per Asst. Per Asst. F3600G X5D00 ★ \$7.50 One asst, in box. Wt. box 4 lbs.

OPEN STOCK

Each		Lgth., 1 Blade, 1 ins.		Wt. Box, lbs.	Each
F3676G	D1C0+	(80155)	14	3	30.15
F3677G	D2C3+	(80255	1/4	2	.35
F3495G	D1C7★	(810SS)	3/6	1	.25
F3692G	D3C0 #	(82955)	1/4	21/2	45
	twenty-fo	our, other	Nos.		in box



Double Duty—Reversible
A perfect driver for all mechanics. Change from regular to recess driver in a jiffy.
Oil tempered high carbon steel blade with regular full ground bit on one end and cross cut tip to take Phillips recessed head screws on the other. Extra large fire-safe unbreakable amber handle. Strong chuck.

Length	over all 6% inches.
	Phillips Box,
Each	Size Screws, Nos. Ibs. Each
F3646G	D5C3 (224) 14 or smaller 11/2 \$0.79
	D000 (0.0)
0	one mounted on card. Six in box

BRIDGEPORT



Cushion Grip

Tested and acclaimed by electricians, automotive and industrial mechanics-check these features:

 Non-slip grip.
 Oil and water resistant neoprene rubber covered plastic handle.

Bolster blade, winged shank. Finest alloy steel, beautifully finished.

Precision cross-ground point.

Hammer-proof.

Shock-proof.

Permanent colorful merchandiser display 11x14x4 in.

Displays one each of 4 basic types-Round mechanics, Electricians, Square mechanics and Super hard Phillips.

Sizes listed on display board.

24 Screw Drivers

			Consists of:	
		Size	Type	
Qty.	No.	in.	Screwdriver	Each
4	2143	4	Mechanics Round Blade.	\$1.25
3	2143	6	Mechanics Round Blade	1.50
1	2143	8	Mechanics Round Blade	1.50
3	2243	3	Electricians	1.00
3	2243	6	Electricians	1.05
3	2343	4	Mechanics Square Blade	1.40
2	2343	6	Mechanics Square Blade	. 1.80
1	2343	8	Mechanics Square Blade	1.80
2	2501	3	Phillips No. 1 Point	1.00
2	2502	4	Phillips No. 2 Point	1.30
		Displa	ay Board FREE	
Per A	Assortn	ent	Per Assor	tment
FX-2	2700-G	X2	1 D44	32.15

Refills

For FX-2700-G Screw Driver Asst.

			Size,	Wt. Box	
Each			in.	lbs.	Each
n	Mechanic	cs-Ro	und l	Blade	
F-3610-G	D8C3	(2143/	4) 4	11/2	\$1.25
F-3611-G	X1 D00	(2143/	6) 6	21/2	1.50
F-3612-G	X1 D27	(2143/	8) 8	31/2	1,99
	EI	ectricia	ans		
F-3613-G	D6C7	(2243/	3) 3	1	1.00
F-3614-G	D7C0	(2243/	6) 6	134	1.05
٨	/lechanic	s-Squ	are l	Blade	
F-3615-G	D9C3	(2343/	4) 4	13/4	1.40
F-3616-G	X1 D20	(2343/	6) 6	23/4	1.80
F-3617-G	X1 D47	(2343)	8 (8)	4	2.20
Sup	er Hard	Phillip	s No.	1 Poin	t
F-3618-G	D6C7	(2501/	3) 3	1	1.00
Sup	er Hard	Phillip	s No.	2 Poin	ŧ
F-3619-G	D8C7	(2502/	4) 4	4	1.30
	Ç	ix in bo	ox,		

SCREW DRIVER AND WOOD CHISEL ASSORTMENTS

FULLER



Basic assortment of popular priced items on a permanent metal display rack, turns unused wall space into profitable selling spaces.

Assortment covers the need of every customer. All items made of high carbon steel, oil tempered and hardened. Attractive amber handles are unbreakable, shock-proof and fire-resistant.

Assortment Contains:

3 Each of the 16 Fast Selling Tools Listed Below Under Open Stock

One asst. in ctn. Wt. asst. 15 lbs.

OPEN STOCK

Carded

Each			Туре	Lgth.,	Wt. Box, lbs.	▲Each
F3653G	(401SS)	D1C6	Pocket	33/4	1/2	\$0.25
F3654G	(402SS)	D2C8	Cabinet	41/4	13/8	.45
F3661G	(500SS)	D4C1	Stubby	11/4	11/2	.65
F3662G	(501SS)	D3C5	Mechanic	4	2	.55
F3663G	(502SS)	D4C1	Mechanic	5	21/4	.65
F3664G	(504SS)	D6C3	Heavy Duty	6	2	1.00
					LOUT -	

SCREWDRIVERS

No. 504SS Six in box, other Nos. Twelve in box.

FOR PHILLIPS RECESSED HEAD SCREWS

Each		S	ize	For Phillips Screws, Nos.	Lgth. Blade, ins.	Wt. Box, Ibs.	▲Each
F3680G	(807SS)	D4C4	1	4 and smal	ller3	11/4	\$0.70
F3681G	(808SS)	D4C7	2	4 to 10	4	21/4	.75
F3682G	(809SS)	D4C4	2 stul	4 to 10	11/2	11/2	.70
			Twelve	e in box.			

SCREWDRIVERS

Each			Lgth. Blade, ins.	Dia. Blade, ins.	Wt. Box, Ibs.	Each
F3676G	(801SS)	D1C2	23/8	1/8	1	\$0.19
F3677G	(802SS)	D2C5	4	1/4	2	.40
F3495G	(810SS)	D1C9	41/4	3/16	1	.30
F3692G	(829 SS)	D3C5	6	1/4	21/2	.55

No. 801 twenty-four, other Nos. twelve in box.

WOOD CHISELS

Length of blade 41/4 inches. Over all length 8 inches.

Each			Width Blade, in.	Weight Box lbs.	▲Each
F1347G	(840)	D4C4	1/2	21/2	\$0.70
F1348G	(841)	D4C4	3/4	23/4	.70
F1349G	(842)	D4C4	1	3	.70

Twelve in box.

SCREW DRIVER ASSORTMENTS

FULLER



Super DeLuxe Rubber Grip

Unbreakable amber handles heavily coated with U. S. Rubber Co.'s top quality neoprene, oil and water resistance with comfortable, blister-proof grip. Precision-ground cadmium plated blades.

Screwdrivers carded and prepriced on two-tier stand-up, hang-up display stand. Hangs on counter, on wall or pegboard or swivels over shelf.

Assortment of 18

Consists of:

3 Each of the 7 Screw Drivers Listed Below Under Open Stock

Per Asst.		Per Asst.
61-435-G	X9D40	\$14.85

One asst. in ctn. Wt. ctn. 6 lbs.

OPEN STOCK

Each			Type	Tip	Size,	Wt. Ctn., lbs.	▲Each
F3706G	(452)	D4C4	Cabinet	Parallel	$4x^{3}/_{16}$	1	\$0.70
F3707G	(453)	D4C7	Electrician	Parallel	6x3/16	11/4	.75
F3708G	(454)	D5C1	Mechanic	Keystone	4x1/4	11/4	.80
F3709G	(455)	D5C7	Heavy Duty	Keystone	6x1/4	$1\frac{1}{2}$.90
F3710G	(456)	D5C4	Recess Point	No. 2	3x3/16	1	.85
F3711G	(457)	D6C0	Recess Point	No. 2	4x1/4	11/4	.95
F3719G	(459)	D7C3	Heavy Duty	Keystone	6x5/16	21/4	1.15
210-			Six in box	4			



Extra large unbreakable handles, Hot forged cadmium steel blades.

Assortment of 60

	Consists	01:
Qty.	Size, in.	Type
10	6x5/16	Extra Heavy Duty
10	$5x\frac{1}{4}$	Heavy Duty
10	4x 1/4	Mechanics
10	$6x_{16}^{3}$	Electricians
10	$5x_{16}^{3}$	Cabinet
5	No. 2	Recessed (Phillips Type)
5	No. 1	Recessed (Phillips Type)
Per Asst.		▲Per Asst
61-329-G	X11 D60	\$17.40

One asst, in ctn. Wt. ctn. 8 lbs.




Extra large unbreakable twist grip handles. Hot forged cadmium steel magnetized blades.

Assortment of 72

	Consists	of:
Qty.	Size, in.	Type
12	6x1/4	Heavy Duty
12	$5x\frac{1}{4}$	Mechanics
12	4x 1/4	All Purpose
12	6x3/16	Electrician
12	5x3/16	Cabinet
6	No. 1	Recessed (Phillips Type)
6	No. 1	Recessed (Phillips Type)
Per Asst.		▲Per Asst.
61-319-G	X9D12	\$13.68

SCREW DRIVERS

FULLER



Unbreakable amber handle with heavy chuck to take seven sizes of blades, all in plastic roll kit.

Set consists of following blades:

Point No. 2 Recessed Point No. 1 Recessed Electricians 3/6 in. Mechanics 1/4 in. Cabinet 1/8 in. Scratch awl Wood chisel 1/2 in, cut.

Per Set		▲Per Set
F3679G	(708)	D6C9★\$1.10
		Twolve cote in boy Wt boy & the

FULLER



For Phillips Recessed Head Screws

Especially designed for use with Phillips recessed head screws. Bits are self-centering and will not slip or mar finishes.

Carbon steel blade, tempered and polished transparent amber color, unbreakable corrugated handle. Blade firmly embedded in handle and will not turn or pull out.

Each F3680G	(807)	DACA	Size		Blade, inches	No. in Box	lbs.	▲Each
				Smalle	r	11/2 11		
F3681G	(808)	D4C7		4 to 10		12	21/4	.65
F3682G	(809)	D4C4	2 stub	4 to 10	11/2	12	11/2	.60

STANLEY



For Phillips Recessed Head Screws and Bolts

Tempered polished steel blades held in the handle by two ear swaged on the shank. Handles are of hardwood, natural color and deeply fluted. Four sizes of these drivers will drive the entire range of Phillips screws and bolts. Sizes 2 and 3 will take care of more than three-fourth of all screws used.

Each			Point Size	Fits Phillips Screws	Lgth. Blade inches	Box,	▲Each	
F3716G	D3C3	(2701)	1	No. 4 and Smaller	3	7/8	\$0.50	
F3717G	D4C0	(2702)	2	No. 5 to 9	4	11/2	.60	
F3718G	D4C9	(2703)	3	No. 10 to 16	6	2	.74	
			Six	in box.				


HOLD-E-ZEE



Finest chrome vanadium steel hexagon blade tempered entire length. High impact transparent plastic handle of concave sure-grip design gives perfect insulation. Patented Hold-E-Zee gripper for holding screws, recedes into handle.

Each F3559G F3560G	D5C5 D6C2	Regular- (PR2) (PR4)	-5/32 inch Length Blade, inches 2 4	Length Over All, inches 45/8	Weight Box, Ibs.	▲ Each \$0.80
F3561G	D6C7	(PR6)	6	91/2	3/4	1.00
		Stubby	-7/32 inch	Blade		
F3562G	D7C0	(PS2)	2	41/2	1	1.05
F3563G	D7C0	(PS4)	4	8	11/8	1.05
F3564G	D7C3	(PS7)	7	11	$\frac{1}{1}\frac{1}{8}$ $\frac{1}{1}\frac{1}{2}$	1.10
		Six in four co	lor counter	display bo		

SCREW DRIVER ASSORTMENTS



HOLD-E-ZEE

For Recessed Head Screws

Attractive display card 7½x11½ inches with easel back and hole for hanging. Nos. PR2, PR4, PS4 and PS7 mounted on card, balance in an attractive box.

	- Ouncontai	
Quantity	Nos.	List
3	F3559G-PR2	\$0 . 80
3	F3560G-PR4	95
3	F3561G-PR6	1.00
1	F3562G-PS2	1 . 05
1	F3563G-PS4	1 . 05
1	F3564G-PS7	1.10
	Assortment of Twelve	
	(DD12)	

Per Asst.

F3498G

Wt. asst. 2½ lbs. One asst. in corrugated container

SCREW DRIVER SIZES

Table of Screw Driver and Bit Sizes to fit
Phillips Recessed Head Screws for Wood Screws

Flat	and Oval He	ad	
Screw Diameter Nos 4 Sn	and 5 to naller inc.		18 to 24 inc.
Use Driver or Bit Size N	o. 1 No.	2 No. 3	No. 4
F	Round Head		
Screw Diameter Nos 4 Sm	and 5 to 1 aller inc.		18 to 24 inc.
Use Driver or Bit Size No	0. 1 No.	2 No. 3	No. 4

SPIRAL RATCHET SCREW DRIVERS

YANKEE



Handyman

A complete tool for driving screws, drawing screws, drilling small holes and countersinking.

Overall length with bit 13 inches.

Plastic magazine handle holds screw driver bit, 3 drill points and countersink furnished.

One full stroke turns screw two and one half times.

Three drivers packed in compact merchandiser.

	(633HM)		
Per Disp	olay	▲ Per	Display
F3667G	X11D97		\$17.94

One display in box. Wt. box 21/2 lbs.

MANSCO



Multi-Purpose Speedriver

Interchangeable bits—stored in clear hollow handle. Complete with recessed and slotted screw driver bits and three drill points. Length 10 inches.

Each		Each
F3728G	X2D47	(566)
	One in	how We how Id th

FOR EYEGLASS SCREWDRIVERS-SEE STARRETT TOOLS-SECTION 4

SPIRAL RATCHET SCREW DRIVERS

STANLEY HANDYMAN




Wood handle, grey finish with red ferrule. Quick return style with sturdy ratchet action. Complete with 1/4 inch steel bit. Length over all with bit 95% inches.

▲ Each F3652G (133H) X2D33.....\$3.50 One in box. Wt. box 1/2 lb.

SPIRAL RATCHET SCREW DRIVER DISPLAY

YANKEE



Stanley Handyman

Quick-return style with 1/4 in. bit in chuck.

Chromium plated steel ratchet case, sleeve spiral rod and knurled chuck. Quick return spring. Steel reversing pawls. Brass ratchet nuts, polished hardwood handle.

Length with bit 9 inches, extended 12 inches.

Counter unit effectively displays screw drivers.

No. Item Quantity 433H Screwdrivers

Per Display ▲Per Display F3731G (433HM) X10D68...... \$15.92

> One display in box. Wt. box 27/8 lbs. Sold Only in Full Boxes

SPIRAL RATCHET SCREW DRIVERS

YANKEE

Used as a Right or Left Hand Ratchet or Spiral or Rigid

The shifter will hold handle at any point on the spiral, giving a rigid driver of any desired length within the size of the tool. The loose spring sleeve chuck quickly grips or releases bit.



HANDYMAN Quick-Return Style

Combination spiral ratchet screw driver and push drill, with accessories in handle. Chromium plated steel ratchet case, sleeve,

spiral rod and knurled steel chuck. Brass rat-

chet nuts. Transparent magazine handle with quick return spring makes ideal push drill.

Handle contains 1 each drill points 14, 14, 14 inch. 1 only 12 inch bit for small screws. 14 inch bit supplied in chuck of driver.

Length with bit closed 6 1/8 inches, extended

9 inches.

Four in an attractive display stand.

Per Deal ▲Per Deal F3648G (233HM) X13D32★...........\$19.92

One deal in box. Wt. box 41/2 lbs.

Sold Only in Full Deals



HANDYMAN Quick-Return Style

Chromium plated steel ratchet case, sleeve, spiral rod and knurled chuck. Quick return spring. Steel reversing pawls. Brass ratchet spring. Steel reversing pawls. Brass ratchet nuts. Polished hardwood handle. Complete

with one screw driver bit.

Length with bit closed 61/8 inches, extended 9 inches.

Four in an attractive display stand.

▲ Per Deal Per Deal F3635G (133HM) X9D32★ \$14.00

One deal in box. Wt. box 23/8 lbs. Sold Only in Full Deals STAR * DENOTES BEST SELLER One in box. Wt. box 3/4 lb.

Each Each \$0.15

F9244G (SDS) D1C0 Loose

Regular

Chromium plated steel ratchet case, sleeve, spiral rod and knurled chuck. Steel reversing pawls. Brass ratchet nuts. Chromium plated. Polished hardwood handle, rosewood finish. Three polished tool steel blades with each tool.



Standard

For general work. Length with bit, closed 13 inches, extended 1814 inches. With 3 bits, 16, 14 and 162 inch wide. 334 inches long. Diameter of chuck 5/8 inch.

Each ▲ Each F3624G (30A) X5D83★... \$8.75

One in box. Wt. box 11/8 lbs.

Heavy

For heavy work. Length with bit, closed 1634 inches, extended 25 inches. With 3 bits, 14, 162 and 1566 inch wide. 334 inches long. Diameter of chuck 3/4 inch. Each ▲ Each

....\$11.35

Quick-Return Style

With spring in handle which causes handle to come back automatically after each stroke of driver. Especially desirable when driving screw in narrow or deep places where operator's left hand cannot conveniently hold chuck end of driver

Chromium plated body. Hardwood handle. Bits are straight so they can drive screws through holes in insulators or follow a screw into a countersink.



Standard

For general work. Length with bit, closed 14% inches, extended 20 inches. With 3 bits, 36, 14 and 1/2 inch wide, 33/4 inches long. Diameter of chuck 5/8 inch. Each A Each

Heavy

For heavy work. Length with bit, closed 19% inches, extended 28 inches. With 3 bits, 14, 24 and 5/16 inch wide, 33/4 inches long. Diameter of chuck 5/8 inch. Each ▲ Each

F3633G (131A) X8D09..... \$12.15 One in box. Wt. box 2 lbs.



With 3 screw driver bits, 1/8, 5/32 and 3/16 inch wide, and 3 inches long.

Length closed, with bit 101/4 inches. Extended with bit 131/2 inches.

Each ▲ Each F3636G (135) X5D63..... . . \$8.45

EXTRA SPRINGS

For Nos 130A, 131A and 135 screw driver